

ROUND BAR

750 kgs	.067mm dia	Piano wire	\$	3.90 /KG
3 kgs	.078" dia	Silver steel, 1.0met	\$	4.50 /KG
40 kgs	.078" dia	Grade 416 stainless steel	\$	4.50 /KG
700 kgs	2mm dia	Low Carbon Black Plastic Coated Bundling Wire	\$	1.50 /KG
35 kgs	.083" dia	Grade 416 stainless steel	\$	4.50 /KG
30 kgs	.105" dia	Grade 304 stainless	\$	5.00 /KG
125 kgs	.106" dia	Grade 416 stainless steel	\$	4.50 /KG
57 kgs	.113" dia	Grade 416 stainless steel	\$	4.50 /KG
8 kgs	3mm dia	Bright Unknown	\$	4.00 /KG
800 kgs	3mm dia	C12L14 leaded bright	\$	5.00 /KG
256 kgs	1/8" dia	1053 coil	\$	1.50 /KG
153 kgs	1/8" dia	H13 tool steel black HRC43	\$	7.00 /KG
430 kgs	1/8" dia	S1214 bright, 12ft	\$	4.50 /KG
1 tonne	1/8" dia	S12L14 bright, 12ft	\$	POA /KG
375 kgs	3.15mm dia	H13 tool steel black HRC43	\$	7.00 /KG
230 kgs	.130" dia	Grade 416 stainless steel	\$	4.50 /KG
650 kgs	3.5mm dia	K1144 bright, 12ft	\$	3.50 /KG
1 tonne	4mm dia	S1214 bright	\$	POA /KG
117 kgs	4mm dia	S1214 bright D Shape	\$	2.50 /KG
1 tonne	4mm dia	S12L14 leaded bright	\$	POA /KG
3 kgs	4mm dia	H13 tool steel black, 12ft HRC43	\$	7.00 /KG
45 kgs	4.115mm dia	H13 tool steel black, 2000mm HRC43	\$	7.00 /KG
250 kgs	.135" dia	Grade 431, EN57 stainless steel	\$	4.50 /KG
80 kgs	.140" dia	Grade 416 stainless steel	\$	4.50 /KG
13 kgs	4.2mm dia	H13 tool steel bright, HRC43	\$	7.00 /KG
80 kgs	.166" dia	Grade 416 stainless steel	\$	4.50 /KG
345 kgs	4.5mm dia	S12L14 leaded bright	\$	3.20 /KG
150 kgs	.216" dia	Grade 416 stainless steel	\$	4.50 /KG
9 kgs	3/16" dia	H13 tool steel, 12ft HRC43	\$	7.00 /KG
1,200 kgs	3/16" dia	S1214 bright, 12ft	\$	2.90 /KG
800 kgs	3/16" dia	C1018 bright, 12ft	\$	2.90 /KG
1,052 kgs^	5mm dia	S1214 bright	\$	POA /KG
340 kgs	5mm dia	S1214 bright, 12ft	\$	POA /KG
1,600 kgs	5mm dia	S12L14 leaded bright	\$	POA /KG
115 kgs	5.18mm dia	H13 tool steel, 12ft HRC43	\$	7.00 /KG
1,100 kgs	7/32" dia	S1214 bright, 12ft	\$	2.40 /KG
33 kgs	7/32" dia	S12L14 leaded, 12ft	\$	2.60 /KG
700 kgs	5.56mm (7/32")	S12L14, 4880mm long	\$	2.60 /KG
111 kgs	5.66mm	H13 tool steel black HRC43	\$	7.00 /KG
820 kgs	6mm dia	S1214 bright	\$	2.35 /KG
500 kgs	6mm dia	S12L14 leaded bright	\$	POA /KG
3,200 kgs^	6mm dia	M1020 bright	\$	POA /KG
921 kgs^	6mm dia	M1030 bright	\$	POA /KG
54 kgs	6.1mm dia	S12L14 leaded bright	\$	2.80 /KG
277 kgs	6.15mm dia	H13 tool steel, 43RC	\$	7.00 /KG
431 kgs	6.2mm dia	H13 tool steel, 43RC	\$	7.00 /KG
3 bars	1/4" dia	321 stainless, 12ft	\$	6.00 /KG
600 kgs	1/4" dia	S1010 bright	\$	2.35 /KG
2,000 kgs	1/4" dia	5150 coil	\$	1.70 /KG

4,180 kgs	1/4" dia	S1214 bright, 12ft	\$	2.35 /KG
4,200 kgs	1/4" dia	S12L14 leaded bright, 12ft	\$	2.40 /KG
2 tonne^	6.35mm dia	K1030 bright, 12ft (1 tonne minimum)	\$	1.95 /KG
100 kgs	.255" dia	Grade 416 stainless steel	\$	4.50 /KG
206 kgs	6.55mm dia	H13 tool steel black HRC43	\$	7.00 /KG
1,140 kgs	6.55mm dia	S12L14 leaded bright	\$	2.40 /KG
103 kgs	6.55mm dia	K1020 bright	\$	2.20 /KG
382 kgs	6.75mm dia	S12L14 leaded bright, 12ft	\$	2.30 /KG
4,800 kgs	7mm dia	K1020 coil	\$	POA /KG
8 tonne	7mm dia	S1214 coil	\$	POA /KG
425 kgs	7mm dia	S12L14 leaded bright, 12ft	\$	2.45 /KG
95 kgs	9/32" dia	H13 tool steel, 2000mm BR HRC43	\$	7.00 /KG
400 kgs	7.14mm dia	S1214 bright, 12ft	\$	POA /KG
1 tonne	7.14mm dia	S12L14 leaded bright, 12ft	\$	POA /KG
88 kgs	7.18mm dia	H13 tool steel black HRC43	\$	7.00 /KG
1,500 kgs	7.33mm dia	Stainless steel copper coated, 12ft		
<i>Thyssen Aufter no. 934-96A8 spec:</i>		C .23%, Mn .58%, Si .6%, Ni .37%, Cr 12%, Mol 1%, Cn .25%, V .26%, 12ft	\$	2.50 /KG
57 kgs	.291" dia	EN41B Carbon .4%, Nickel 1.61%	\$	2.60 /KG
7 tonne	7.5mm dia	S1214 coil	\$	POA /KG
1,800 kgs	7.94mm dia	S12L14 bright, 12ft	\$	POA /KG
2,705 kgs	5/16" dia	C1030 bright, 12ft	\$	POA /KG
900 kgs	5/16" dia	C1055, 12ft	\$	POA /KG
1,670 kgs	5/16" dia	5150 Coil	\$	1.70 /KG
3,200 kgs	5/16" dia	K1020 bright, 12ft	\$	POA /KG
0.9 tonne^	8mm dia	K1030 bright, 12ft	\$	POA /KG
2,000 kgs	8mm dia	SAE 1472 coils x 6 Spring Steel	\$	1.70 /KG
2,700 kgs	8mm dia	S1214 bright, 12ft	\$	POA /KG
10 tonne	8mm dia	S12L14 bright, 12ft	\$	POA /KG
35 kgs	8.15mm dia	H13 tool steel black HRC43	\$	7.00 /KG
1,750 kgs	8.15mm dia	S12L14 leaded bright	\$	2.50 /KG
17 kgs	8.2mm dia	H13 tool steel black HRC43	\$	7.00 /KG
1,600 kgs	.364" dia	5130 alloy bright	\$	2.50 /KG
1,506 kgs^	8.3mm dia	K1045 bright	\$	POA /KG
900 kgs^	8.94mm dia	M1020 bright	\$	POA /KG
6 tonne^	9mm dia	S12L14 bright, 12ft	\$	2.40 /KG
8,900 kgs	9mm dia	K1045 black coil	\$	POA /KG
800 kgs	9mm dia	S1214 coil	\$	POA /KG
1,400 kgs	9mm dia	K1020 coil	\$	POA /KG
3 tonne	9mm dia	K1030 coil	\$	POA /KG
1,950 kgs	9mm dia	K1045 bright	\$	2.10 /KG
2,017 kgs	9.1mm dia	K1045 bright	\$	2.10 /KG
550 kgs	9.1mm dia	XK1340 bright	\$	2.35 /KG
6,050 kgs	9.15mm dia	S12L14 bright	\$	2.30 /KG
1 tonne	9.52mm dia	K1045 bright	\$	POA /KG
19 tonne^	9.52mm dia	S12L14 bright, 12ft	\$	POA /KG
2,000 kgs	3/8" dia	SAE 1472 coil oil tempered 6 coils	\$	1.70 /KG
1,800 kgs	3/8" dia	S1214 bright	\$	POA /KG
8 tonne	3/8" dia	S12L14 leaded bright	\$	POA /KG
1,000 kgs	3/8" dia	K1144 bright	\$	POA /KG

1,380 kgs	3/8" dia	K1020 bright, 20ft	\$	2.30 /KG
1,958 kgs	3/8" dia	K1038 bright, 12ft	\$	2.30 /KG
450 kgs	3/8" dia	K1045 bright, 12ft	\$	2.30 /KG
290 kgs	3/8" dia	Grade 301 stainless steel	\$	4.30 /KG
18 kgs	9.474mm dia	H13 tool steel, 12ft bright 43HRC	\$	7.00 /KG
54 kgs	9.67mm dia	H13 tool steel, 12ft bright 43HRC	\$	7.00 /KG
161 kgs	9.7mm dia	2340 (L3) black alloy	\$	2.50 /KG
2 tonne	9.8mm dia	S12L14 bright	\$	2.45 /KG
2,800 kgs	10mm dia	S1214 bright, 12ft	\$	POA /KG
4,600 kgs	10mm dia	S1214 coil	\$	POA /KG
310 kgs	10mm dia	4140 as rolled bright, 12ft	\$	2.70 /KG
300 kgs	10mm dia	4140HT drawn	\$	POA /KG
84 kgs	10mm dia	S12L14 bright, 12ft	\$	2.60 /KG
1219 kgs	10mm dia	S12L14 bright, 12ft	\$	POA /KG
3,220 kgs	10mm dia	K1020 bright, 12ft	\$	2.00 /KG
1,400 kgs	10mm dia	K1020 coil	\$	POA /KG
5 tonne	10mm dia	C1030 bright, 12ft	\$	1.95 /KG
3,400 kgs	10mm dia	K1038 bright, 12ft	\$	2.00 /KG
460 kgs	10.15mm dia	H13 tool steel black HRC43	\$	7.00 /KG
62 kgs	10.16mm dia	XK13 manganese 1.61%, 12ft	\$	2.00 /KG
950 kgs	10.24mm dia	XK1340 bright, 20ft	\$	2.35 /KG
334 kgs	13/32" dia	K10L40 bright	\$	2.30 /KG
871 kgs^	10.32mm dia	S1214 bright	\$	POA /KG
1,100 kgs	10.4mm dia	Grade 410 stainless steel black, 13ft	\$	3.65 /KG
8,050 kgs	10.55mm dia	S12L14 bright	\$	2.00 /KG
1,700 kgs	10.8mm dia	M1020 bright, 12ft	\$	2.10 /KG
5 tonne	10.8mm dia	K1038 coil, cheap prime	\$	1.40 /KG
1,600 kgs	11mm dia	S1214 bright	\$	2.30 /KG
930 kgs	11mm dia	S12L14 bright	\$	2.40 /KG
444 kgs	11mm dia	K1040 bright, 12ft	\$	2.20 /KG
1 tonne	11.02mm dia	S12L14 bright	\$	2.35 /KG
81 kgs	15/32" dia	S12L14 bright	\$	2.35 /KG
218 kgs	11.1mm dia	H13 tool steel bright PG HRC43	\$	7.00 /KG
6,500 kgs	11.11mm dia	S12L14 bright, 12ft	\$	POA /KG
2,396 kgs^	11.11mm dia	M1030 bright	\$	POA /KG
18 tonne^	11.2mm dia	K1020 bright, 12ft	\$	POA /KG
8,600 kgs	11.2mm dia	4140HT	\$	POA /KG
3 tonne	11.2mm dia	K1030 coil	\$	POA /KG
5,400 kgs	11.2mm dia	K1045 coil	\$	POA /KG
10 tonne	11.2mm dia	S1214 coil	\$	POA /KG
38 kgs	7/16" dia	Q7 alloy	\$	2.50 /KG
1,020 kgs	7/16" dia	Grade 416 stainless steel	\$	3.40 /KG
3 bars	7/16" dia	Grade 420 stainless steel, 3400mm	\$	3.75 /KG
45 kgs	7/16" dia	Grade 316 stainless steel, 12ft	\$	6.50 /KG
370 kgs	7/16" dia	4140 peeled & annealed, 12ft	\$	2.60 /KG
250 kgs	7/16" dia	K1020 bright, 12ft	\$	2.00 /KG
8 tonne	7/16" dia	K1020 bright, 6.0met	\$	1.85 /KG
1 tonne	7/16" dia	S1214 bright, 12ft	\$	2.15 /KG
9 tonne	7/16" dia	S12L14 bright, 12ft	\$	2.40 /KG
241 kgs	7/16" dia	K1040 bright, 12ft	\$	2.30 /KG
3 1/2 tonne	7/16" dia	K1045 bright, 20ft	\$	2.20 /KG

270 kgs	11.8mm dia	K1045 bright	\$	POA /KG
1,000 kgs	12mm dia	K1020 bright, 5800mm + 4400mm approx	\$	2.00 /KG
4 tonne	12mm dia	K1020 coil	\$	2.00 /KG
1,300 kgs	12mm dia	C1030 bright, 6100mm	\$	2.10 /KG
2,400 kgs	12mm dia	K1040 bright, 20ft	\$	2.00 /KG
436 kgs	12mm dia	K1045 black	\$	1.70 /KG
300 kgs	12mm dia	K1045 bright	\$	POA /KG
300 kgs	12mm dia	K1045 black coil	\$	POA /KG
5,800 kgs	12mm dia	4140 black as rolled	\$	POA /KG
300 kgs	12mm dia	4140 precision ground	\$	POA /KG
4 tonne	12mm dia	S1214 coil	\$	POA /KG
1,340 kgs	12mm dia	S1214 bright, 12ft	\$	2.25 /KG
1 tonne	12mm dia	S12L14 bright, 12ft	\$	POA /KG
1,000 kgs	12mm dia	SKF3 bright cold worked tool steel	\$	3.00 /KG
300 off	12mm dia	Grade 420 stainless steel, 565mm long	\$	2.70 /KG
66 bars	12.1mm dia	S1214 bright	\$	POA /KG
200 kgs	12.22mm dia	4140 peeled annealed	\$	2.60 /KG
100 kgs	12.39mm dia	S1214 bright, 12ft	\$	2.30 /KG
11 tonne	12.5mm dia	K1020 coil	\$	POA /KG
4 tonne	12.5mm dia	S1214 coil	\$	POA /KG
500 kgs	1/2" dia	K1030 bright	\$	POA /KG
3,800 kgs	1/2" dia	K1038 bright, 6.0met	\$	2.00 /KG
1,200 kgs	1/2" dia	Grade 431HT bright stainless steel, 4.0met	\$	3.90 /KG
4 tonne	1/2" dia	4037 alloy bright, 6.0met	\$	2.40 /KG
300 kgs	1/2" dia	4140HT peeled	\$	POA /KG
1,900 kgs	1/2" dia	S1214 bright	\$	2.35 /KG
181 kgs	1/2" dia	S12L14 bright, 12ft (surface rust)	\$	1.95 /KG
150 kgs	1/2" dia	H13 tool steel bright PG HRC43	\$	7.00 /KG
1 bar	1/2" dia	310 stainless, 2.0met	\$	4.90 /KG
2.5 tonne^	12.7mm dia	S12L14 bright, 12ft	\$	POA /KG
2 tonne	12.7mm dia	K1045 bright, 12ft	\$	2.00 /KG
6,600 kgs	13mm dia	4140HT black	\$	POA /KG
7 tonne	13mm dia	4140AR black	\$	POA /KG
15 bars	13mm dia	4340HT black alloy, 12ft & 3100mm	\$	3.90 /KG
7 tonne	13mm dia	K1020 coil	\$	POA /KG
6 tonne	13mm dia	K1045 coil	\$	POA /KG
7 tonne	13mm dia	S1214 coil	\$	POA /KG
3 tonne	13mm dia	XK1340 black, 6.0met	\$	2.10 /KG
1,300 kgs	13mm dia	S12L14 bright	\$	2.35 /KG
1,140 kgs	13.55mm dia	S12L14 bright	\$	2.25 /KG
2,200 kgs	14mm dia	S1214 bright, 12ft	\$	2.15 /KG
14 tonne	14mm dia	S1214 coil	\$	POA /KG
600 kgs	14mm dia	S12L14 bright	\$	2.50 /KG
5 tonne^	14mm dia	S12L14 bright, 12ft	\$	POA /KG
6 tonne	14mm dia	S12L14 bright coil	\$	POA /KG
900 kgs*	14mm dia	K1020 bright, 6.0met	\$	POA /KG
4 tonne	14mm dia	K1020 coil	\$	POA /KG
1,100 kgs	14mm dia	K1030 bright	\$	POA /KG
6 tonne^	14mm dia	K1045 black coil	\$	POA /KG
118 kgs	14mm dia	K11L44 bright	\$	2.35 /KG
1,720 kgs	14mm dia	K1146 bright, 12ft	\$	2.35 /KG
2 bars	14mm dia	XS1112 bright	\$	2.10 /KG

8 tonne	14mm dia	4140AR black	\$	POA /KG
8 tonne	14mm dia	4140HT black	\$	POA /KG
290 kgs	14.04mm dia	H13 tool steel bright HRC43	\$	7.00 /KG
1,700 kgs	14.08mm dia	S12L14 bright	\$	2.25 /KG
100 kgs	.571" dia	Bright	\$	2.00 /KG
500 kgs	.573" dia	Bright	\$	2.00 /KG
210 kgs	9/16" dia	4140 bright	\$	2.70 /KG
1 tonne	9/16" dia	4140HT peeled	\$	POA /KG
3 bars	9/16" dia	S1214 bright	\$	2.30 /KG
4,400 kgs	9/16" dia	S12L14 bright	\$	POA /KG
2.5 tonne	9/16" dia	S12L14 bright	\$	POA /KG
2 tonne	9/16" dia	K1020 bright, 6.0met	\$	2.20 /KG
700 kgs	9/16" dia	K1040 black, 6.0met	\$	1.65 /KG
200 kgs	9/16" +.015" dia	Grade 4615 semi bright alloy	\$	2.30 /KG
1 tonne	14.5mm dia	K1045 black, 6.0met	\$	1.65 /KG
1,291 kgs	14.5mm dia	K1045 bright	\$	2.10 /KG
250 kgs	14.5mm dia	5140 bright, 6.0met	\$	2.40 /KG
515 kgs	14.5mm dia	XK1340 bright	\$	2.20 /KG
1 tonne	14.55mm dia	51B30 bright, 6.0met	\$	2.35 /KG
292 kgs	14.55mm dia	S12L14 bright	\$	2.25 /KG
1 tonne	14.7mm dia	K1020 bright	\$	POA /KG
2 1/2 tonne	14.81mm dia	SAE1541 bright X1340, 6.0met	\$	2.25 /KG
100 kgs	14.85mm dia	K1030 bright	\$	2.10 /KG
0.8 tonne^	14.875mm dia	K1020 bright, 12ft	\$	POA /KG
1/2 tonne^	15mm dia	K1020 bright, 12ft	\$	POA /KG
5,300 kgs	15mm dia	8620 black	\$	POA /KG
5 tonne	15mm dia	S1214 coil	\$	POA /KG
2 tonne	15mm dia	K1020 coil	\$	POA /KG
1,420 kgs	15mm dia	K1045 bright, 12ft	\$	2.00 /KG
1.7 tonne	15mm dia	XK1320	\$	POA /KG
4 tonne	15mm dia	S12L14 bright, 12ft	\$	2.35 /KG
87 kgs	15.1mm dia	S12L14 bright, 12ft	\$	2.35 /KG
391 kgs	15.4mm dia	2340 (L3) black case hardening alloy steel	\$	2.50 /KG
75 kgs	.590" dia	8740 bright	\$	2.40 /KG
62 kgs	.597" dia	S12L14 bright	\$	2.35 /KG
240 kgs	.618" dia	4032 alloy	\$	2.35 /KG
1 tonne	5/8" dia	K1020 bright, 6 met	\$	2.10 /KG
120 kgs	5/8" dia	K1030 bright, 6.0met	\$	2.10 /KG
7,185 kgs	5/8" dia	S1214 bright	\$	2.20 /KG
25 tonne^	5/8" dia	S12L14 bright	\$	2.55 /KG
360 kgs	5/8" dia	4150 alloy, 12ft	\$	2.50 /KG
1,600 kgs	5/8" dia	2340 (L3)	\$	2.40 /KG
2200 kgs	15.875mm dia	K1045 bright, 12ft	\$	2.10 /KG
107 kgs	16mm dia	H13 tool steel HRC43	\$	7.00 /KG
900 kgs	16mm dia	Grade 4120 SMG 21 bright alloy	\$	2.20 /KG
700 kgs	16mm dia	S1214 bright, 12ft	\$	2.20 /KG
5 tonne^	16mm dia	S1214 black	\$	POA /KG
3,700 kgs	16mm dia	S12L14 bright, 12ft	\$	POA /KG
320 kgs	16mm dia	Grade 420 stainless bright stained	\$	3.80 /KG
660 kgs	16mm dia	5120 bright alloy, 6.0met	\$	2.30 /KG
1,700 kgs	16mm dia	4140 black as rolled	\$	POA /KG
13 tonne^	16mm dia	4140HT black	\$	POA /KG

4 tonne^	16mm dia	1004 bright, 12ft	\$	POA /KG
9 tonne^	16mm dia	K1020 coil	\$	POA /KG
3,500 kgs	16mm dia	K1020 bright, 6.0met	\$	2.10 /KG
800 kgs	16mm dia	K1040 black, 6.0met	\$	1.70 /KG
500 kgs	16mm dia	K1045 black, 6.0met	\$	POA /KG
700 kgs	16mm dia	K1045 bright, 12ft	\$	POA /KG
161 kgs	16mm dia	K1055 black	\$	1.70 /KG
9 tonne	16mm dia	XK1320 black	\$	POA /KG
1 tonne*	16mm dia	XK1340 black	\$	POA /KG
700 kgs	16mm dia	8620 peeled alloy	\$	2.75 /KG
89 kgs	16mm dia	8645 alloy	\$	2.50 /KG
1 tonne	16mm dia	S1214 bright, 12ft	\$	2.10 /KG
1,400 kgs	16mm dia	Grade 300 Plus	\$	POA /KG
394 kgs	16.02mm dia	H13 tool steel HRC	\$	7.00 /KG
165 kgs	16.15mm dia	H13 tool steel HRC35	\$	7.00 /KG
6,800 kgs	16.2mm dia	K1045 bright	\$	POA /KG
1,200 kgs	16.5mm dia	K1020 bright	\$	2.00 /KG
1 tonne	16.75mm dia	S12L14 bright	\$	2.35 /KG
10 lens	17mm dia	4140AR alloy, 3.1met	\$	2.20 /KG
5 tonne^	17mm dia	4140 as rolled black	\$	POA /KG
4 tonne	17mm dia	4140HT black	\$	POA /KG
1,800 kgs	17mm dia	S1214 bright	\$	POA /KG
7 tonne	17mm dia	S1214 black	\$	POA /KG
10,750 kgs	17mm dia	S12L14 bright, 12ft	\$	2.15 /KG
1 tonne	17mm dia	K1020 black	\$	POA /KG
9,100 kgs	17mm dia	K1030 black	\$	POA /KG
7 tonne	17mm dia	K1045 black	\$	POA /KG
12 tonne	17mm dia	8620 black as rolled	\$	POA /KG
2,146 kgs	17mm dia	K8620H, rusty & pitted		BARGAIN
54 kgs	17mm dia	Grade 403 stainless, C .18%, Cr 12.8%	\$	3.50 /KG
853 kgs	17.2mm dia	2340 (L3) black alloy	\$	2.40 /KG
2,030 kgs	17.2mm dia	K1045 bright, 3820mm	\$	1.95 /KG
1 tonne	17.24mm dia	S1214 bright	\$	POA /KG
1,016 kgs^	17.24mm dia	M1020AR bright	\$	POA /KG
180 kgs	17.4mm dia	Bright unknown	\$	1.95 /KG
17.46 tonne^	17.46mm dia	S1214 bright, 12ft	\$	POA /KG
2,100 kgs	17.5mm dia	K1040 bright, 12ft	\$	2.10 /KG
462 kgs	11/16" dia	Grade 8740, alloy bright	\$	2.40 /KG
80 kgs	11/16" dia	Semi bright	\$	1.90 /KG
940 kgs	11/16" dia	K1040 bright, 12ft	\$	2.10 /KG
300 kgs	11/16" dia	K1040 bright, 20ft	\$	2.10 /KG
315 kgs	11/16" dia	K1045 bright, 12ft	\$	2.10 /KG
5 bars	11/16" dia	Grade 420 stainless 3 @ 2700mm & 2 @ 1800mm	\$	3.90 /KG
1 tonne	11/16" dia	CS1020 bright	\$	POA /KG
46 kgs	11/16" dia	S12L14 bright	\$	2.40 /KG
800 kgs	11/16" dia	S12L14 bright	\$	POA /KG
11 tonne*	18mm dia	XK1320 AR black	\$	POA /KG
160 kgs	18mm dia	4140HT black	\$	POA /KG
360 kgs	18mm dia	K1020 bright, 12ft	\$	2.10 /KG
1,797 kgs^	18mm dia	M1020 bright	\$	POA /KG
6 tonne	18mm dia	K1020 black	\$	POA /KG

4,300 kgs	18mm dia	K1030 coil	\$	POA /KG
580 kgs	18mm dia	K1040 bright, 4100mm	\$	2.10 /KG
85 kgs	18mm dia	K1045 bright, 12ft	\$	2.10 /KG
11 tonne	18mm dia	K1045 black coil	\$	POA /KG
5,750 kgs	18mm dia	K1137 bright, 4.0met	\$	2.20 /KG
8 tonne	18mm dia	S1214 black	\$	POA /KG
17 tonne	18mm dia	S12L14 bright	\$	2.30 /KG
360 kgs	18mm dia	Bright mild	\$	2.00 /KG
6 tonne	18mm dia	6140 black	\$	2.00 /KG
150 kgs	18mm dia	8740 alloy bright, 6.0met	\$	2.40 /KG
1,400 kgs	18mm dia	28BCVRM bright	\$	2.30 /KG
200 kgs	18mm dia	E410 alloy black case hardening	\$	2.20 /KG
174 kgs	18mm dia	H13 tool steel HRC43	\$	7.00 /KG
2 tonne^	18.03mm dia	S12L14 bright, 12ft	\$	POA /KG
1,810 kgs	18.1mm dia	S12L14 bright, 12ft	\$	POA /KG
116 kgs	18.17mm dia	H13 tool steel HRC43	\$	7.00 /KG
600 kgs	18.2mm dia	K1045 bright, 6.0met	\$	2.10 /KG
36 kgs	18.5mm dia	Grade 403 stainless steel	\$	3.30 /KG
2,862 kgs	18.7-18.8mm dia	S12L14 bright	\$	2.35 /KG
2,900 kgs	18.95-19mm dia	K1022 bright, 4150mm long	\$	2.10 /KG
10 tonne	19mm dia	4140 as rolled black, 6.0met	\$	POA /KG
4,500 kgs	19mm dia	4140HT black	\$	POA /KG
1,410 kgs	19mm dia	4340 alloy black as rolled	\$	2.90 /KG
1 tonne	19mm dia	K1020 bright	\$	2.10 /KG
4 tonne	19mm dia	K1020 black	\$	POA /KG
490 kgs	19mm dia	K1030 bright	\$	2.10 /KG
100 kgs	19mm dia	K1040 precision ground	\$	2.70 /KG
7 tonne	19mm dia	K1045 black	\$	POA /KG
200 kgs	19mm dia	K1137 black, 12ft	\$	1.80 /KG
1,630 kgs	19mm dia	S1214 bright, 12ft	\$	POA /KG
18 tonne	19mm dia	S1214 black	\$	POA /KG
1,840 kgs	19mm dia	S12L14 bright, 12ft	\$	2.50 /KG
2 1/2 tonne*	19mm dia	XK1340 black	\$	POA /KG
550 kgs	19mm dia	SAE 3135 alloy black	\$	2.00 /KG
2,300 kgs	19mm dia	Value steel, 12ft Grade EN52	\$	3.00 /KG
12 tonne^	19.05mm dia	S1214 bright, 12ft	\$	POA /KG
6.9 tonne^	19.05mm dia	S12L14 bright, 12ft	\$	POA /KG
690 kgs	3/4" dia	K1020 bright, 20ft	\$	2.10 /KG
200 kgs	3/4" dia	K1040 bright	\$	2.15 /KG
55 kgs	3/4" dia	K1040 bright precision ground, 12ft	\$	2.75 /KG
275 kgs	3/4" dia	K1045 bright, 12ft	\$	2.20 /KG
1,790 kgs	3/4" dia	K1045 bright, 20ft	\$	2.20 /KG
1 tonne	3/4" dia	K1144 bright, 12ft	\$	POA /KG
900 kgs	3/4" dia	K15B30 bright, 6.0met	\$	2.20 /KG
1,700 kgs	3/4" dia	S1214 bright	\$	2.25 /KG
1,800 kgs	3/4" dia	S12L14 bright, 12ft	\$	2.60 /KG
164 kgs	3/4" dia	S12L14 bright light rust	\$	2.60 /KG
1,100 kgs	3/4" dia	4140HT peeled, 10ft faulty hair crack	\$	1.90 /KG
5 bars	3/4" dia	Red Green Silver alloy	\$	2.50 /KG
51 kgs	19.17mm dia	H13 tool steel bright HRC43	\$	7.00 /KG
1,200 kgs	19.5mm dia	Grade 410 stainless steel black, 4.0met to 5.5met	\$	3.50 /KG
540 kgs	19.5mm dia	4140 annealed peeled H11, 3600mm	\$	2.50 /KG
541 kgs	19.5mm dia	L8 alloy Carbon .12% Nickel 5.19%	\$	2.40 /KG
3,407 kgs	19.948/20.048mm dia	K1040 bright, 4270mm	\$	2.10 /KG
8 bars	19.7mm dia	Grade 420 stainless black	\$	3.35 /KG

1,000 kgs	20mm dia	S1214 bright	\$	2.15 /KG
16 bars	20mm dia	51B40AR black	\$	2.20 /KG
1,500 kgs	20mm dia	Grade 250 black prime, 20ft	\$	POA /KG
11 tonne	20mm dia	K1020 black	\$	POA /KG
620 kgs	20mm dia	K1020 bright, 6.0met	\$	2.10 /KG
8 tonne	20mm dia	M1020 bright	\$	POA /KG
1,700 kgs	20mm dia	K1030 precision ground	\$	POA /KG
10 tonne	20mm dia	K1030 black	\$	POA /KG
400 kgs	20mm dia	K1045 bright precision ground, 12ft	\$	POA /KG
600 kgs	20mm dia	K1050 bright, 12ft	\$	2.35 /KG
806 kgs	20mm dia	K1060 bright, 12ft	\$	2.35 /KG
550 kgs	20mm dia	K1137 bright	\$	2.35 /KG
3 tonne	20mm dia	S1214 bright, 12ft	\$	2.20 /KG
9 tonne	20mm dia	S1214 black	\$	POA /KG
400 kgs	20mm dia	S12L14 bright, 12ft	\$	2.45 /KG
3 tonne	20mm dia	S12L14 black	\$	POA /KG
3 tonne	20mm dia	8620AR black	\$	POA /KG
100 kgs	20mm dia	XS1112 bright, 12ft	\$	2.20 /KG
10,400 kgs	20mm dia	XK1320 black	\$	POA /KG
5 tonne	20mm dia	XK1340 black	\$	POA /KG
704 kgs	20mm dia	H13 tool steel black HRC35/43	\$	7.00 /KG
2 tonne	20mm dia	Alloy .15%, Carbon, Chrome 1.2% Bright Tentuff leaded bright similar to 50B40	\$	2.10 /KG
1,150 kgs	20mm dia	approx chem comp; C .37%, Mn.51%, Si.22%, Cr .47%, Copper .21%, Pb .19%	\$	2.10 /KG
1 tonne	20mm dia	4140HT black	\$	POA /KG
1 bar	20mm dia	4340HT , 3100mm	\$	4.00 /KG
713 kgs	20.14mm dia	2340 (L3) black alloy	\$	2.15 /KG
475 kgs	20.23mm dia	2340 (L3) black alloy	\$	2.15 /KG
1,500 kgs	20.25mm dia	8620 alloy bright, 12ft	\$	2.70 /KG
512 kgs	20.3mm dia	XS1112 bright, free cutting	\$	2.20 /KG
48 kgs	20.46mm dia	S1214 bright	\$	2.10 /KG
200 kgs	20.54mm dia	XS1112 bright, 12ft	\$	2.10 /KG
325 kgs	20.6mm dia	EN351 case hardening	\$	2.70 /KG
400 kgs	20.6mm dia	S1045 black	\$	1.60 /KG
2,900 kgs	20.64mm dia	S1214 bright, 12ft	\$	2.20 /KG
1,800 kgs	20.64mm dia	S12L14 bright	\$	POA /KG
4 bars	20.8mm dia	K1045 bright, 6.0met	\$	2.10 /KG
330 kgs	20.92mm dia	XK1340 bright, 6.0met	\$	2.20 /KG
1,700 kgs	13/16" dia	S1214 bright, 12ft	\$	2.20 /KG
17 bars	13/16" dia	CS1040 bright	\$	2.10 /KG
250 kgs	.886" dia	Semi bright	\$	1.70 /KG
18 bars	21mm dia	Grade 431 stainless bright stained	\$	3.50 /KG
3,370 kgs	21mm dia	4140 as rolled bright, 12ft	\$	POA /KG
600 kgs	21mm dia	4140HT black	\$	POA /KG
7 tonne	21mm dia	S1214 black	\$	POA /KG
380 kgs	21mm dia	S12L14 bright leaded	\$	2.40 /KG
6,600 kgs	21mm dia	S12L14 black	\$	POA /KG
600 kgs	21mm dia	K1010 bright, 6.0met	\$	2.10 /KG
1 tonne	21mm dia	K1045 as rolled black	\$	POA /KG
8 tonne	21mm dia	8620AR black	\$	POA /KG

19 tonne	21.7mm dia	K1020 black	\$	POA /KG
6 tonne	21.7mm dia	K1030 black	\$	POA /KG
463 kgs	21.7mm dia	K1040 bright, 6100mm long	\$	2.00 /KG
12 tonne	21.7mm dia	K1045 black	\$	1.80 /KG
3,204 kgs	21.7mm dia	K1045 bright, 6.0met	\$	2.00 /KG
12 tonne	21.7mm dia	S1214 black	\$	POA /KG
1,136 kgs^	22mm dia	M1020 bright	\$	POA /KG
2,500 kgs	22mm dia	4140 as rolled black	\$	POA /KG
5,700 kgs	22mm dia	4140HT black	\$	POA /KG
2,100 kgs	22mm dia	K1030 bright	\$	POA /KG
8 tonne	22mm dia	K1045 black	\$	POA /KG
0.8 tonne^	22mm dia	K1045 IHC, 12ft	\$	POA /KG
1,200 kgs	22mm dia	5135 black alloy	\$	2.20 /KG
6,162 kgs	22mm dia	XK1340 black, 6.0met	\$	2.20 /KG
1,800 kgs	22mm dia	XK6140 FFG	\$	2.10 /KG
3,087 kgs	22mm dia	28BCRVM bright, 6.0met	\$	2.20 /KG
40 bars	22mm dia	4140 bright as rolled, 6.0met	\$	2.60 /KG
9 tonne^	22mm dia	4340 alloy as rolled	\$	POA /KG
1,140 kgs	22mm dia	S1214 bright, 20ft	\$	2.20 /KG
1,140 kgs	22mm dia	S1214 bright, 12ft	\$	2.20 /KG
187 kgs	22mm dia	S1214 bright surface rust, Mn.75%, Cr.287%, V.1%, Cu.153%	\$	1.80 /KG
18 tonne^	22mm dia	S12L14 bright, 12ft	\$	2.30 /KG
21 tonne	22mm OD	6mm hole, Grade 4140 black drill rod, 5.0met	\$	1.40 /KG
973 kgs	22mm dia	SAE5155 spring black steel, 6.0met	\$	2.00 /KG
630 kgs	22mm dia	Grade 300 black, 6.0met	\$	1.70 /KG
11 kgs	22mm dia	Grade 304 stainless	\$	4.20 /KG
1,800 kgs	22mm dia	EN36A as rolled	\$	POA /KG
2 tonne	22mm dia	EN36A annealed	\$	POA /KG
29 bars	22.18mm dia	K1045 chromed bar, 4.080met	\$	4.00 /KG
1/2 tonne^	22.2mm dia	K1020 bright, 12ft	\$	2.00 /KG
0.7 tonne^	22.2mm dia	K1045 IHC, 12ft	\$	POA /KG
1.5 tonne^	22.2mm dia	S1214 bright, 12ft	\$	POA /KG
4 1/2 tonne^	22.2mm dia	S12L14 bright, 12ft	\$	POA /KG
97 kgs	22.5mm dia	XK1340B black	\$	2.20 /KG
480 kgs	.800mm dia	Grade 01 tool steel .4% tungsten, 12ft	\$	3.00 /KG
600 kgs	7/8" dia	Bright unknown,12ft	\$	1.90 /KG
2,400 kgs	7/8" dia	K1008 bright, 6.0met	\$	2.00 /KG
2,300 kgs	7/8" dia	K1019 bright, 6.0met	\$	2.00 /KG
700 kgs	7/8" dia	K1030 bright	\$	POA /KG
70 kgs	7/8" dia	K1040 bright, 6.0met	\$	2.10 /KG
200 kgs	7/8" dia	K1045 chromed bar tolerance downgrade	\$	2.50 /KG
970 kgs	7/8" dia	S1214 bright, 12ft	\$	2.20 /KG
130 kgs	7/8" dia	SAE4120 (CSM21) bright alloy	\$	2.40 /KG
750 kgs	7/8" dia	Grade 3335 black (spectro avail.)	\$	2.20 /KG
16 bars	7/8" dia	Bohler alloy V155 (4340), 3700mm	\$	3.60 /KG
7 bars	7/8" dia	4620 black alloy	\$	2.70 /KG
800 kgs	7/8" dia	50100 ball bearing steel, 3.6met approx.	\$	3.00 /KG
685 kgs	22.9mm dia	S1214 bright, 3500mm long	\$	2.10 /KG
12 bars	23mm dia	Q7 alloy black, 5.0met SAE3140	\$	2.00 /KG
2,600 kgs	23mm dia	S1214 bright	\$	2.10 /KG
8 tonne	23mm dia	S1214 black	\$	POA /KG

4 1/2 tonne	23mm dia	S12L14 bright	\$	POA /KG
5 tonne	23mm dia	K1020 black	\$	POA /KG
1,759 kgs^	23mm dia	M1020 bright	\$	POA /KG
10 tonne*	23mm dia	K1045 black	\$	POA /KG
14 tonne*	23mm dia	4140AR black	\$	POA /KG
54 kgs	23mm dia	4340 alloy black	\$	3.50 /KG
1/2 tonne	23mm dia	8620 bright	\$	POA /KG
5,800 kgs	23mm dia	8620AR black	\$	POA /KG
1 tonne	23mm dia	5155 spring steel, 7.7met	\$	1.60 /KG
1 tonne	23.1mm dia	4140 as rolled bright, 3.0met	\$	2.20 /KG
1 tonne	23.24mm dia	4140HT bright	\$	POA /KG
3 tonne	23.5mm dia	K1137 bright, 12ft	\$	2.00 /KG
195 kgs	.886" dia	CS1040 semi bright	\$	1.90 /KG
13 bars	.930" dia	Q7 alloy black, 20ft	\$	2.20 /KG
16 tonne^	23.81mm dia	S12L14 bright, 12ft	\$	POA /KG
2 tonne	23.81mm dia	S1214 bright	\$	POA /KG
340 kgs	15/16" dia	Grade 4615 alloy bright light rust	\$	2.20 /KG
390 kgs	15/16" dia	K1020 bright, 4200mm	\$	2.00 /KG
300 kgs	24mm dia	K1040 black	\$	1.70 /KG
8,078 kgs^	24mm dia	K1045 black	\$	POA /KG
2,700 kgs	24mm dia	K1020 black	\$	POA /KG
250 kgs	24mm dia	K1020 bright, 6.0met	\$	2.20 /KG
4,300 kgs^	24mm dia	M1030 black	\$	POA /KG
1 tonne	24mm dia	4140AR bright, 4.0met	\$	2.75 /KG
853 kgs	24mm dia	S1214 bright, slightly oversized	\$	2.00 /KG
10 tonne	24mm dia	S1214 AR black	\$	POA /KG
9,600 kgs	24mm dia	S12L14 black	\$	POA /KG
500 kgs	24mm dia	Grade 3115 black	\$	2.00 /KG
1 bar	24mm dia	Grade 321 stainless, 3400mm	\$	4.95 /KG
2 off	24mm dia	5160 black, 10ft	\$	1.70 /KG
5,300 kgs	24mm dia	8620 black	\$	POA /KG
700 kgs	24mm dia	Alloy, 17CrNiMo6 pld case hardening x 4317mm	\$	4.20 /KG
300 kgs	24mm dia	BCRVM semi bright	\$	2.10 /KG
1 1/2 tonne	24mm dia	5155 black, 6.0met	\$	1.70 /KG
2 bars	24mm O/S dia	S1214 bright	\$	2.00 /KG
4 bars	25mm dia	X2K11M47 QF bright, 12ft	\$	2.20 /KG
1 o/c	25mm dia	H21 Sabex tool steel, 30ft	\$	7.00 /KG
1 bar	25mm dia	310 stainless, 3400mm	\$	4.90 /KG
1,470 kgs	25mm dia	EN39B peeled, 6.0met	\$	4.70 /KG
8 tonne	25mm dia	4140 as rolled black	\$	POA /KG
220 kgs	25mm dia	4140HT black	\$	POA /KG
7 tonne	25mm dia	4340 as rolled black	\$	POA /KG
12 tonne	25mm dia	M1020AR black	\$	POA /KG
400 kgs	25mm dia	M1020 bright, 4800mm + 5800mm	\$	2.00 /KG
4 tonne	25mm dia	K1020 black	\$	POA /KG
4,600 kgs	25mm dia	K1030 black	\$	POA /KG
1,000 kgs	25mm dia	K1040 bright	\$	POA /KG
9 tonne	25mm dia	K1045 black	\$	POA /KG
11,322 kgs^	25mm dia	K1045AR bright	\$	POA /KG
1,580 kgs	25mm dia	K1146 bright, 20ft	\$	2.30 /KG
16 bars	25mm dia	K1147 semi-bright, 12ft	\$	2.10 /KG
3 tonne	25mm dia	S12L14 black	\$	POA /KG
81 kgs	25mm dia	S12L14 bright	\$	2.40 /KG

710 kgs	25.4mm dia	4140AR alloy bright, H9	\$	2.60 /KG
2 tonne	1" dia	K1020 bright, 20ft + 5800mm	\$	2.00 /KG
10 tonne	1" dia	K1030 bright	\$	POA /KG
1 tonne	1" dia	K1045 bright, 20ft	\$	2.10 /KG
1,500 kgs	1" dia	K1045 precision ground	\$	POA /KG
2 tonne	1" dia	K1147 bright	\$	2.20 /KG
280 kgs	1" dia	4340 black as rolled	\$	4.00 /KG
500 kgs	1" dia	4340 precision ground H8	\$	POA /KG
6,870 tonne	1" dia	S1214 bright	\$	2.20 /KG
4 tonne	1" dia	S12L14 bright	\$	POA /KG
752 kgs	1" dia	L3 bright alloy	\$	2.40 /KG
1,350 kgs	1" dia	Grade 2340 bright .4% C 3.5% Nickle alloy	\$	2.40 /KG
255 kgs	1" dia	Grade 403 stainless, Carbon .18%, Nickel 12.9%	\$	3.50 /KG
350 kgs	1" dia	Grade 410, 12ft stainless steel	\$	3.50 /KG
1 off	1" dia	Grade 420 bright stainless steel, 4615mm	\$	3.50 /KG
430 kgs	1" dia	EN26 bright, 3040mm	\$	5.00 /KG
2 tonne	25.73-25.83mm dia	S12L14 bright	\$	2.30 /KG
11 tonne	26mm dia	XK6150 black, 6.0met (Bargain Price!!)	\$	1.50 /KG
580 kgs	26mm dia	5150 black spring steel	\$	1.70 /KG
2,600 kgs	26mm dia	5160 black spring steel	\$	1.70 /KG
2,100 kgs	26mm dia	8620 alloy semi-bright, 12ft	\$	2.40 /KG
6,050 kgs	26mm dia	8620AR black	\$	2.40 /KG
976 kgs	26mm dia	K8620H, rusty & pitted		BARGAIN
600 kgs	26mm dia	K10B35 bright, 6.0met	\$	1.95 /KG
4 tonne	26mm dia	K1020 black	\$	POA /KG
6 tonne	26mm dia	K1020 black	\$	POA /KG
1 tonne	26mm dia	K1045 black	\$	POA /KG
9 tonne	26mm dia	4140AR black	\$	POA /KG
4,600 kgs	26mm dia	4140HT black	\$	POA /KG
600 kgs	26mm dia	4340HT black	\$	POA /KG
13 tonne	26mm dia	S1214 black	\$	POA /KG
5 tonne	26mm dia	17CR Ni Mo6 (1 tonne minimum)	\$	3.25 /KG
3,833 kgs	26mm dia	28BCRVM bright, 6.0met Mn.796%, Cr.286%, Cu.194%, V.1%	\$	1.95 /KG
130 kgs	26.3mm dia	X2K1147QF	\$	1.90 /KG
400 kgs	26.99mm dia	S12L14 bright	\$	POA /KG
8 tonne	27mm dia	8620 black (1 tonne minimum)	\$	1.95 /KG
9 tonne	27mm dia	8620AR black, 6.0met	\$	2.30 /KG
3,800 kgs	27mm dia	4140 black as rolled	\$	POA /KG
222 kgs	27mm dia	4340 alloy	\$	3.70 /KG
240 kgs	27mm dia	XK1340 black, 6.0met	\$	2.20 /KG
40 kgs	27mm dia	XK6140 bright	\$	2.20 /KG
99 kgs	27mm dia	S1214 bright, 12ft	\$	2.20 /KG
11 tonne	27mm dia	S1214 black	\$	POA /KG
260 kgs	27mm dia	S12L14 bright	\$	2.45 /KG
11 tonne^	27mm dia	S12L14 black	\$	POA /KG
3 off	27mm dia	5160 black, 10ft	\$	1.90 /KG
360 kgs	27mm dia	K1020 bright	\$	2.00 /KG
240 kgs	27mm dia	K1025 bright, 11ft	\$	2.00 /KG
6 tonne	27mm dia	K1030 black	\$	POA /KG
10 tonne^	27mm dia	K1045 black, 6.0met	\$	POA /KG
700 kgs	27mm dia	K1045 bright	\$	2.10 /KG
149 kgs	27mm dia	K1055 black	\$	1.65 /KG
592 kgs	27mm dia	K1146F, rusty & pitted		BARGAIN
100 kgs	27mm dia	Grade 300 black, 6.0met	\$	1.60 /KG
2 tonne	27mm dia	Grade 410 stainless, 12ft	\$	3.30 /KG
11 bars	27mm dia	Grade 420 stainless, Cr12.3%, Mn.82%, Ni.74%	\$	3.30 /KG
578 kgs	27mm dia	Grade 420 stainless, Chrome 12.4%	\$	3.30 /KG

365 kgs	27mm dia	Grade 431 stainless steel	\$	3.30 /KG
5 tonne	27mm dia	17CR Ni Mo6 (1 tonne minimum)	\$	3.25 /KG
1,096 kgs^	28mm dia	S1214AR bright	\$	POA /KG
1 tonne	28mm dia	S12L14 bright, 3.0met	\$	2.50 /KG
10 tonne	28mm dia	4140 black as rolled	\$	POA /KG
2 tonne	28mm dia	4340HT black	\$	POA /KG
1 tonne	28mm dia	Deformed bar	\$	1.60 /KG
2,600 kgs	28mm dia	17CR Ni Mo6	\$	POA /KG
400 kgs	28.57mm dia	K1030 bright, 12ft	\$	POA /KG
3.1 tonne^	28.57mm dia	K1045 Chrome, 12ft	\$	POA /KG
0.7 tonne^	28.57mm dia	K1045 bright, 12ft	\$	POA /KG
1,000 kgs	1 1/8" dia	Grade E410 alloy black case hardening	\$	2.70 /KG
2,380 kgs	1 1/8" dia	Grade431 stainless steel precision ground brt, 6.0met	\$	3.50 /KG
30 kgs	1 1/8" dia	Grade 420 stainless steel	\$	3.30 /KG
1,000 kgs	1 1/8" dia	Grade 300 bright mild, 6.0met	\$	2.10 /KG
342 kgs	1 1/8" dia	4140HT peeled, 6.0met	\$	POA /KG
1,200 kgs	1 1/8" dia	CS1020 bright, 5800mm	\$	POA /KG
700 kgs	1 1/8" dia	XS1112 bright, 12ft	\$	2.20 /KG
440 kgs	1 1/8" dia	2340 (L3) black alloy	\$	2.20 /KG
1,100 kgs	1 1/8" dia	5120 alloy bright, 12ft	\$	2.00 /KG
330 kgs	1 1/8" dia	K1020 bright	\$	2.10 /KG
80 kgs	1 1/8" dia	K1040 semi-bright, 12ft	\$	2.00 /KG
700 kgs	1 1/8" dia	Bright mild unknown	\$	2.05 /KG
6.9 tonne	1 1/8" dia	S1214 bright	\$	POA /KG
7,300 kgs	1 1/8" dia	S12L14 bright, 12ft bargain	\$	2.20 /KG
11 bars	1 1/8" dia	Bright mild light surface rust, 6.0met	\$	1.90 /KG
1,040 kgs	29mm dia	L3 2340 alloy	\$	2.00 /KG
1 tonne	29mm dia	K1020 bright, 12ft	\$	2.00 /KG
1,500 kgs	29mm dia	K1045 black	\$	POA /KG
17 bars	29mm dia	5120 alloy black, 12ft	\$	2.40 /KG
185 kgs	30mm dia	51B40 bright, 12ft	\$	2.20 /KG
2 tonne^	30mm dia	K1030 black	\$	POA /KG
60 kgs	30mm dia	S1214 bright	\$	2.20 /KG
4,705 kgs^	30mm dia	S1214AR black	\$	POA /KG
5 tonne	30mm dia	EN39B as rolled (1 tonne minimum)	\$	4.55 /KG
6 bars	30mm dia	EN39B alloy	\$	5.00 /KG
800 kgs	30mm dia	17CR Ni Mo6	\$	POA /KG
550 kgs	30mm dia	AS3679/250 black, 20ft	\$	1.60 /KG
7 tonne	30mm dia	K1020 black	\$	POA /KG
540 kgs	30mm dia	K1020 bright, 6.0met + 5800mm	\$	2.10 /KG
400 kgs	30mm dia	K1030 bright	\$	2.10 /KG
6 bars	30mm dia	K10B31 black, 6.0met	\$	1.65 /KG
5,600 kgs	30mm dia	K1040 bright, 6.0met	\$	POA /KG
560 kgs	30mm dia	K1040 bright	\$	2.20 /KG
33 bars	30mm dia	K1045 bright	\$	2.20 /KG
1,100 kgs	30mm dia	K1045 R/C	\$	2.00 /KG
500 kgs	30mm dia	K1045 precision ground	\$	POA /KG
65 bars	30mm dia	K1045 black	\$	1.70 /KG
1,500 kgs	30mm dia	4140HT peeled	\$	POA /KG
11 tonne^	30mm dia	4140 as rolled black	\$	2.10 /KG
180 kgs	30mm dia	4340 bright as rolled, 6.0met	\$	3.90 /KG

650 kgs	30mm dia	4340 alloy black as rolled	\$	3.90 /KG
436 kgs	30mm dia	4340HT bright	\$	3.90 /KG
250 kgs	30mm dia	4340HT black	\$	3.90 /KG
2,700 kgs	30mm dia	4340 alloy rough turned & annealed, 3.0met	\$	2.90 /KG
8 tonne	30mm dia	4620 bright, 7.0met	\$	2.10 /KG
10 tonne^	30mm dia	8620 black	\$	POA /KG
1,100 kgs	30mm dia	8620 peeled	\$	POA /KG
10 tonne	30mm dia	S12L14 black	\$	POA /KG
2 tonne	30mm dia	EN36a peeled	\$	4.90 /KG
8 bars	30mm dia	Red diamond 20H	\$	3.70 /KG
50 kgs	30mm dia	XK1320 black, 6.0met	\$	2.30 /KG
30 kgs	30mm dia	XK1320 bright, 11ft	\$	2.45 /KG
2,150 kgs	30mm dia	XK6140 FG	\$	1.90 /KG
38 bars	30mm dia	5120 alloy, 4.0met	\$	1.90 /KG
3,400 kgs	30mm dia	Grade 300 black, 6.0met	\$	1.65 /KG
14 off	30mm dia	Grade 3140 (rusty) alloy, 2900mm	\$	2.20 /KG
1,960 kgs	30.16mm dia	S12L14 bright	\$	POA /KG
4,416 kgs^	30.5mm dia	M1030 bright, 3.0met	\$	POA /KG
370 kgs	31mm dia	XK1320 semi bright	\$	2.30 /KG
690 kgs	31mm dia	8620 bright, 12ft	\$	2.60 /KG
44 kgs	31.65mm dia	S1214 bright	\$	2.30 /KG
1 tonne^	31.75mm dia	S1214 bright, 12ft	\$	2.20 /KG
2 tonne^	31.75mm dia	4140 H&T chrome, 12ft	\$	POA /KG
3,478 kgs^	31.75mm dia	4140HT H11	\$	POA /KG
142 kgs	31.2mm dia	CK10B31F black	\$	1.65 /KG
1,020 kgs	1 1/4" dia	EN25 HT peeled, 4.5met long	\$	4.50 /KG
960 kgs	1 1/4" dia	EN36A peeled bright, K12	\$	4.90 /KG
3 3/4 bars	1 1/4" dia	K10B31 black, 6.0met	\$	1.65 /KG
3,600 kgs	1 1/4" dia	K1020 bright, 12ft + 5800mm	\$	2.10 /KG
250 kgs	1 1/4" dia	K1020 bright, 7.0met	\$	2.10 /KG
3,600 kgs	1 1/4" dia	K1020 bright	\$	POA /KG
9 tonne	1 1/4" dia	K1030 bright	\$	POA /KG
1 bar	1 1/4" dia	K1030 rusty bright, 6.1met	\$	1.70 /KG
1 tonne	1 1/4" dia	K1030 precision ground	\$	POA /KG
500 kgs	1 1/4" dia	K1035 bright	\$	2.10 /KG
1,920 kgs	1 1/4" dia	K1040 bright, 20ft	\$	2.20 /KG
1 tonne	1 1/4" dia	K1045 reject chrome, 6.0met	\$	2.00 /KG
1,500 kgs	1 1/4" dia	K1045 bright	\$	2.20 /KG
1/2 tonne	1 1/4" dia	K1045 chromed prime bar, 6.0met	\$	3.40 /KG
19 bars	1 1/4" dia	K1060 black, 20ft	\$	1.80 /KG
2,150 kgs	1 1/4" dia	K1137 bright, 20ft	\$	2.35 /KG
1,760 kgs	1 1/4" dia	K1137 bright, 12ft	\$	2.35 /KG
2 bars	1 1/4" dia	K1144 bright, 12ft	\$	2.35 /KG
30 bars	1 1/4" dia	CS1030 bright, 20ft slight pit marks	\$	1.80 /KG
6 bars	1 1/4" dia	XK11M 30 bright free cutting, 6.5met	\$	2.10 /KG
3 bars	1 1/4" dia	XK1320 bright, 13ft	\$	2.35 /KG
800 kgs	1 1/4" dia	S1214 stained bright, 12ft	\$	2.10 /KG
1,900 kgs	1 1/4" dia	S12L14 bright, 12ft	\$	2.35 /KG
15 bars	1 1/4" dia	8740 alloy bright, 12ft	\$	2.35 /KG
200 kgs	1 1/4" dia	51B40 bright, 4.0met	\$	2.35 /KG
13 bars	1 1/4" dia	51B40 bright, 7.0met	\$	2.35 /KG

300 kgs	1 1/4" dia	Grade 300 bright mild	\$	2.10 /KG
202 kgs	1 1/4" dia	2340 (L3) black alloy	\$	2.30 /KG
1 tonne	32mm dia	Black mild, 6.0met surface rust	\$	POA /KG
390 kgs	32mm dia	Grade 5155S spring steel	\$	1.90 /KG
7 bars	32mm dia	PAX2 tool steel	\$	3.00 /KG
4 bars	32mm dia	D2 tool steel peeled, 6.0met	\$	6.50 /KG
1 off	32mm dia	Grade 310 black stainless, 5670mm	\$	3.50 /KG
22 tonne^	32mm dia	4140 black as rolled	\$	POA /KG
1,550 kgs	32mm dia	4620 rusty black	\$	2.30 /KG
12 tonne	32mm dia	8620 black (1 tonne minimum)	\$	1.95 /KG
600 kgs	32mm dia	EN25HT	\$	4.90 /KG
1,200 kgs	32mm dia	EN25AR	\$	POA /KG
430 kgs	32mm dia	EN36A black	\$	4.60 /KG
4,500 kgs	32mm dia	EN36A as rolled	\$	POA /KG
6 bars	32mm dia	S1214 bright	\$	2.25 /KG
2 tonne	32mm dia	S1214 black	\$	POA /KG
4,962 kgs^	32mm dia	S12L14 bright	\$	POA /KG
15 tonne^	32mm dia	S12L14 black	\$	POA /KG
13 tonne	32mm dia	K1020AR black	\$	POA /KG
3,000 kgs	32mm dia	K1020 black	\$	POA /KG
3 tonne	32mm dia	K1030 black	\$	POA /KG
6 tonne	32mm dia	K1045 black	\$	POA /KG
1 tonne	32mm dia	K1045 black, 25ft	\$	POA /KG
1,050 kgs	32mm dia	L10 alloy Carbon .12% Nickel 5.12%	\$	2.50 /KG
1 tonne	32mm dia	Deformed bar	\$	1.90 /KG
690 kgs	33mm dia	4140 as rolled black, 6.0met	\$	2.10 /KG
83 kgs	33mm dia	4140HT peeled, 3080mm 4 bars	\$	2.50 /KG
20 tonne	33mm dia	4140 black as rolled	\$	POA /KG
10 tonne	33mm dia	4340 black as rolled	\$	POA /KG
500 kgs	33mm dia	4340HT peeled precision ground	\$	POA /KG
2 tonne	33mm dia	4340HT black	\$	POA /KG
500 kgs	33mm dia	4340HT peeled	\$	POA /KG
25 bars	33mm dia	EN25HT bright, 3100mm	\$	4.90 /KG
710 kgs	33mm dia	EN36A peeled, 6.0met	\$	4.60 /KG
7 tonne	33mm dia	8620 alloy	\$	POA /KG
8,600 kgs	33mm dia	8620 black	\$	POA /KG
1 bar	33mm dia	8620 alloy black	\$	2.85 /KG
3,290 kgs***	33mm dia	XK10B31F	\$	POA /KG
7 tonne	33mm dia	XK1320 AR black	\$	POA /KG
8 tonne	33mm dia	XK1320 AR black	\$	POA /KG
1,800 kgs	33mm dia	Tentuff leaded bright similar to 50B40 approx chemical comp; C.37%, Mn.51%, Si.22%, Cr.47%, Copper .21% & Pb .19%	\$	2.20 /KG
8 bars	33mm dia	K1020 bright, 6.0met	\$	2.10 /KG
1 1/2 tonne	33mm dia	M1020AR black	\$	POA /KG
11,739 kgs^	33mm dia	M1030AR black	\$	POA /KG
1 bar	33mm dia	K1030 bright surface rust, 5540mm	\$	1.90 /KG
7 tonne	33mm dia	K1030 black	\$	POA /KG
3,290 kgs	33mm dia	XK10B31F, rusty and pitted		BARGAIN
700 kgs	33mm dia	K1040 bright, 6.0met	\$	2.20 /KG
2 tonne	33mm dia	K1045 black	\$	POA /KG

2,758 kgs^	33mm dia	K1045AR black	\$	POA /KG
34 tonne	33mm dia	K1050 black	\$	POA /KG
2 off	33mm dia	Grade 310 stainless, 4940mm & 2345mm	\$	3.90 /KG
1/2 tonne	33mm dia	S1214 bright	\$	POA /KG
10 tonne	33mm dia	S12L14 black	\$	POA /KG
1 tonne	33.08mm dia	EN36A alloy bright H12	\$	POA /KG
1 bar	33.16mm dia	4140 bright, 12ft	\$	2.30 /KG
2,600 kgs	33.3mm dia	4140 as rolled black	\$	2.00 /KG
3 bars	33.3mm dia	4140AR bright	\$	2.10 /KG
500 kgs	33.3mm dia	51B40 black, 7.0met	\$	2.00 /KG
1 bar	33.65mm dia	4140 bright	\$	2.20 /KG
2 bars	34mm dia	4140 annealed turned bright, 3.0met	\$	2.20 /KG
3 bars	34mm dia	EN25 alloy black	\$	4.50 /KG
600 kgs	34mm dia	S1214 bright	\$	POA /KG
235 kgs	34mm dia	S12L14 leaded bright, 12ft	\$	2.40 /KG
13 tonne	34mm dia	S12L14 leaded black	\$	POA /KG
9,600 kgs	34mm dia	XK1340 black	\$	POA /KG
540 kgs	34.5mm dia	8660 black spring steel	\$	2.00 /KG
2 tonne^	34.925mm dia	K1045 bright, 12ft	\$	POA /KG
23 tonne^	34.925mm dia	S12L14 bright	\$	POA /KG
300 kgs	1 3/8" dia	S1214 bright	\$	POA /KG
3,800 kgs	1 3/8" dia	K1020 bright, 5800mm	\$	2.10 /KG
260 kgs	1 3/8" dia	K1040 bright, 6.0met	\$	2.10 /KG
273 kgs	1 3/8" dia	K1045 bright R/C	\$	2.00 /KG
548 kgs	1 3/8" dia	EN26 bright	\$	5.00 /KG
1,300 kgs	1 3/8" dia	CS1030 bright	\$	POA /KG
675 kgs	1 3/8" dia	51B40 bright	\$	2.20 /KG
500 kgs	1 3/8" dia	4340HT peeled precision ground H9	\$	POA /KG
5 feet	35mm dia	H.C.H.C. YS P 2303	\$	4.00 /KG
10 tonne	35mm dia	4140 black as rolled	\$	POA /KG
300 kgs	35mm dia	4340HT black	\$	POA /KG
2 tonne	35mm dia	4340HT black	\$	POA /KG
17 tonne	35mm dia	8620 black	\$	POA /KG
1,750 kgs	35mm dia	E410 black alloy Bohler steel, 12ft	\$	2.60 /KG
400 kgs	35mm dia	S1214 bright	\$	POA /KG
6 bars	35mm dia	Unknown R/C, 20ft	\$	1.70 /KG
1 tonne	35mm dia	K1020 black	\$	POA /KG
8,500 kgs	35mm dia	K1030 black	\$	POA /KG
136 kgs	35mm dia	CS1030 bright	\$	2.10 /KG
4 tonne	35mm dia	K1040 bright	\$	POA /KG
490 kgs	35mm dia	K1045 bright, 20ft	\$	2.10 /KG
2,800 kgs	35mm dia	K1045 black	\$	POA /KG
4,600 kgs	35mm dia	K1137 bright, 12ft	\$	2.35 /KG
250 kgs	35mm dia	K1147 bright	\$	2.35 /KG
1 bar	35mm dia	Cast iron, 2.315met	\$	3.50 /KG
2 tonne	35mm dia	EN36A peeled, 5600mm	\$	3.95 /KG
2 tonne	35mm dia	XK15B35 AR black	\$	POA /KG
1 off	35mm dia	Grade 321 black stainless, 1455mm	\$	4.50 /KG
129 bars	35mm dia	de 303-304 stainless, 2500-2600mm lengths	\$	4.00 /KG
7 off	35.8mm dia	5160 black, 10ft	\$	1.90 /KG
1 bar	35.8mm dia	Grade 321 stainless, 5500mm	\$	4.50 /KG

1,300 kgs	36mm dia	S12L14 bright	\$	2.40 /KG
160 kgs	36mm dia	S1214 bright, 12ft	\$	2.20 /KG
8 tonne	36mm dia	S1214 black	\$	POA /KG
5 tonne	36mm dia	S12L14 black	\$	POA /KG
6 tonne	36mm dia	4140AR black	\$	POA /KG
12 tonne	36mm dia	4140HT black	\$	POA /KG
7,400 kgs	36mm dia	4340 as rolled black	\$	POA /KG
3,100 kgs	36mm dia	XK1147 FFG black, 6.0met	\$	1.80 /KG
10 tonne	36mm dia	XK1320 black	\$	POA /KG
		Tentuff leaded bright similar to 50B40		
1,300 kgs	36mm dia	approx chemical comp; C.37%, Mn.51%, Si.22%, Cr .47% Copper .21%, Pb .19%	\$	1.95 /KG
14 tonne	36mm dia	K1020 black	\$	POA /KG
2,300 kgs	36mm dia	K1020 bright	\$	POA /KG
500 kgs	36mm dia	K1030 precision ground	\$	POA /KG
6 bars	36mm dia	K1040 bright	\$	2.40 /KG
1,600 kgs	36mm dia	K1045 bright	\$	POA /KG
250 kgs	36mm dia	K1045 induction hardened reject chrome bar	\$	1.95 /KG
4 tonne	36mm dia	K1045 black	\$	POA /KG
3,200 kgs	36mm dia	K1137 black	\$	1.90 /KG
2,500 kgs	36mm dia	51B40 black alloy, 6.0met	\$	2.10 /KG
4 bars	36mm dia	XS1112 black oversized, 12ft	\$	1.90 /KG
8 tonne	36mm dia	8620 black	\$	POA /KG
10 bars	36.5mm dia	4140 black surface rust	\$	2.10 /KG
3 tonne	36.15mm dia	S12L14 bright	\$	POA /KG
2.7 tonne^	36.51mm dia	S12L14, 12ft	\$	POA /KG
1100 kgs	36.52mm dia	4140HT precision ground	\$	POA /KG
30 kgs	36.8mm dia	S12L14 leaded bright	\$	2.40 /KG
1,350 kgs	37.5mm dia	4150HT alloy black, 6.0met	\$	2.40 /KG
5 bars	37.5mm dia	8620AR peeled, 6.0met	\$	3.10 /KG
11 tonne	38mm dia	S12L14 black	\$	POA /KG
100 kgs	38mm dia	K1020 bright, 6.0met	\$	2.10 /KG
6 tonne*	38mm dia	K1045 black	\$	POA /KG
6 tonne	38mm dia	4140 black as rolled	\$	POA /KG
1,400 kgs	38mm dia	4140HT black, 4.0met	\$	2.40 /KG
3 bars	38mm dia	4330 alloy, 5.0met	\$	2.90 /KG
252 kgs	38mm dia	4620 alloy black	\$	2.50 /KG
660 kgs	38mm dia	Grade 410 stainless steel bright	\$	3.50 /KG
1 off	38mm dia	Grade 321 stainless steel bright, 1880mm	\$	4.50 /KG
5 off	38mm dia	Grade 3140 (rusty), 2900mm	\$	2.20 /KG
1 bar	38mm dia	EN25 black alloy, 6.0met	\$	4.90 /KG
3,300 kgs	38mm dia	EN36A annealed	\$	POA /KG
11,409 kgs***	38mm dia	8620H	\$	POA /KG
11,220 kgs^	38mm dia	K1137AR black	\$	POA /KG
800 kgs	38.1mm dia	K1045 bright, 6.0met	\$	2.20 /KG
1,900 kgs	38.1mm dia	K1045 PLD H10	\$	POA /KG
1/2 tonne^	38.1mm dia	S12L14 bright, 12ft	\$	2.50 /KG
1 tonne	1 1/2" dia	K1020 precision ground	\$	POA /KG
500 kgs	1 1/2" dia	K1020 bright, 6.0met	\$	2.10 /KG
50 kgs	1 1/2" dia	K1030 bright	\$	2.20 /KG
250 kgs	1 1/2" dia	K1040 bright, surface rust	\$	2.10 /KG

210 kgs	1 1/2" dia	K1045 Precision ground, 3.0met	\$	2.50 /KG
480 kgs	1 1/2" dia	K1045 bright	\$	2.20 /KG
1 bar	1 1/2" dia	K1045 reject chrome	\$	2.10 /KG
3 bars	1 1/2" dia	H13 tool steel, 5.0met approx	\$	6.00 /KG
9 bars	1 1/2" dia	EN25 alloy bright, 2400mm	\$	4.90 /KG
3 tonne	1 1/2" dia	XK1340 bright, 21ft	\$	2.40 /KG
90 kgs	1 1/2" dia	4140HT peeled	\$	2.60 /KG
4,600 kgs	1 1/2" dia	S12L14 bright	\$	2.40 /KG
2 bars	39mm dia	4140HT peeled, 12ft	\$	2.50 /KG
13 tonne	39mm dia	4140HT black	\$	POA /KG
700 kgs	39mm dia	4140HT black	\$	POA /KG
5 tonne	39mm dia	4140AR black	\$	POA /KG
120 kgs	39mm dia	4140F black, 6.0met	\$	2.20 /KG
3 bars	39mm dia	4140 black, 12ft	\$	2.20 /KG
1 tonne	39mm dia	K1016 black	\$	1.85 /KG
12 tonne^	39mm dia	K1020 black	\$	POA /KG
1,200 kgs	39mm dia	K1030 bright	\$	POA /KG
1,500 kgs	39mm dia	K1030 black	\$	POA /KG
2,310 kgs	39mm dia	K1040 bright	\$	POA /KG
1,800 kgs	39mm dia	K1045 black	\$	POA /KG
3,986 kgs	39mm dia	K1137 black, 6.0met	\$	POA /KG
2,000 kgs	39mm dia	K5140FFG black, 9.0met	\$	2.10 /KG
10 tonne*	39mm dia	XK1320 black	\$	POA /KG
7 tonne	39mm dia	XK1320 black	\$	POA /KG
9 tonne	39mm dia	XK1340 black X2K1541FFG, 7.4met	\$	2.00 /KG
4 tonne^	39mm dia	8620 black alloy, 6.0met	\$	2.60 /KG
6 tonne^	39mm dia	S1214 black	\$	POA /KG
250 kgs	39mm dia	S12L14 bright	\$	2.40 /KG
62 tonne^	39mm dia	S12L14 bright	\$	POA /KG
1,600 kgs	39mm dia	17CrNiMo6	\$	POA /KG
8,500 kgs	39mm dia	EN36A black rusty, 6.0met bargain	\$	3.90 /KG
562 kgs	39mm dia	Grade 6587 annealed alloy peeled or 17CrNiMo6	\$	POA /KG
3,000 kgs	40mm dia	S12L14 bright, 12ft	\$	2.30 /KG
10 tonne^	40mm dia	S12L14 black	\$	POA /KG
10 tonne	40mm dia	K1020 black	\$	POA /KG
3 tonne^	40mm dia	K1030 bright, 12ft	\$	POA /KG
3,900 kgs	40mm dia	K1030 precision ground	\$	POA /KG
4,600 kgs	40mm dia	K1030 black	\$	POA /KG
1,638 kgs	40mm dia	K1040 black, 6.0met	\$	POA /KG
470 kgs	40mm dia	K1045 bright, 6700mm	\$	2.25 /KG
10 tonne	40mm dia	K1045 black	\$	POA /KG
0.6 tonne^	40mm dia	K1045 IHC, 12ft	\$	POA /KG
435 kgs	40mm dia	K1137 bright, 12ft	\$	2.35 /KG
12 tonne	40mm dia	4140 black as rolled	\$	POA /KG
9 kgs^	40mm dia	4140HT H&T black	\$	POA /KG
1 o/c	40mm dia	4150HT peeled, 7ft	\$	2.50 /KG
3,400 kgs	40mm dia	4340HT black	\$	POA /KG
500 kgs	40mm dia	4340HT peeled precision ground H8	\$	POA /KG
4 tonne*	40mm dia	8620AR black	\$	POA /KG
2 off	40mm dia	8620AR black, 2.0met & 2680mm	\$	3.00 /KG
1 bar	40mm dia	EN26HT black, 3.0met	\$	5.00 /KG

1/2 tonne	40mm dia	EN39B (parcel lot)	\$	4.55 /KG
57 kgs	40mm dia	Duplex s/s 2205	\$	6.00 /KG
7,000 kgs	40mm dia	Grade 300 black	\$	POA /KG
300 kgs	40.45mm dia	4140HT peeled	\$	POA /KG
1 1/2 tonne	41mm dia	4140 as rolled	\$	POA /KG
7 tonne	1 5/8" dia	K1018 bright, 5800mm	\$	POA /KG
500 kgs	1 5/8" dia	4140HT precision ground H9	\$	POA /KG
5 tonne	1 5/8" dia	S1214 bright	\$	POA /KG
900 kgs	1 5/8" dia	K1030 bright	\$	POA /KG
2,900 kgs	42mm dia	K1020 black	\$	POA /KG
132 tonne^	42mm dia	K1028 black	\$	POA /KG
2,214 kgs^	42mm dia	M1030AR bright	\$	POA /KG
5 tonne^	42mm dia	K1030 black	\$	POA /KG
1 bar	42mm dia	K10B31 black, 6.0met	\$	1.90 /KG
6,035 kgs	42mm dia	X2K1038FFG, rusty and pitted		BARGAIN
2 tonne^	42mm dia	K1040 bright, 12ft	\$	POA /KG
6 tonne^	42mm dia	K1045 bright, 12ft	\$	POA /KG
19 tonne^	42mm dia	K1045 black	\$	POA /KG
21 tonne^	42mm dia	K1050 black	\$	POA /KG
2,400 kgs	42mm dia	K1055B black, 6.0met	\$	1.65 /KG
1,300 kgs	42mm dia	K1070 black, 20ft	\$	1.65 /KG
8,800 kgs^	42mm dia	1137AR black	\$	POA /KG
2 bars	42mm dia	S1214 black, 11ft	\$	1.90 /KG
10 tonne	42mm dia	S12L14 black	\$	POA /KG
1 bar	42mm dia	New Hall tool steel, 2.0met	\$	3.50 /KG
11 tonne^	42mm dia	4140AR black	\$	POA /KG
7 1/2 tonne	42mm dia	8620 alloy black	\$	POA /KG
3 bars	42mm dia	8620 black, 6.0met	\$	3.00 /KG
8 tonne	42mm dia	K8620H, rusty and pitted		BARGAIN
6,035 kgs***	42mm dia	X2K1038FFG	\$	POA /KG
7 tonne	42mm dia	XK1320 black	\$	POA /KG
7 tonne	42mm dia	4340AR black	\$	POA /KG
770 kgs	42mm dia	17CR Ni Mo6	\$	POA /KG
1,700 kgs	42.86mm dia	K1045 precision ground	\$	POA /KG
6 tonne	42.86mm dia	S12L14 black	\$	POA /KG
330 kgs	43mm dia	P8 black Carbon 1.2%, Manganese 13.1%	\$	3.50 /KG
1 tonne	43.5mm dia	4140HT	\$	POA /KG
13 tonne	43.5mm dia	4140AR black	\$	POA /KG
13 tonne	43.5mm dia	K1020 black	\$	POA /KG
4 1/2 tonne	43.5mm dia	K1045AS rolled black	\$	POA /KG
4 tonne	1 3/4" dia	S1214 bright	\$	POA /KG
1 tonne	1 3/4" dia	S12L14 bright, 12ft	\$	2.50 /KG
4,910 kgs	1 3/4" dia	S12L14 bright, 12ft	\$	POA /KG
2 tonne	1 3/4" dia	CS1020 bright, 20ft & 5800mm	\$	2.10 /KG
800 kgs	1 3/4" dia	CS1030 bright, 6.0met	\$	2.10 /KG
500 kgs	1 3/4" dia	K1030 precision ground	\$	POA /KG
620 kgs	1 3/4" dia	K1040 bright, 6.0met	\$	2.30 /KG
230 kgs	1 3/4" dia	K1045 bright	\$	2.30 /KG
850 kgs	1 3/4" dia	K1045 bright reject chrome bar	\$	2.30 /KG
1,100 kgs	1 3/4" dia	XK1335, bright, 12ft	\$	2.35 /KG
10 off	1 3/4" dia	EN25 alloy	\$	4.50 /KG

68 bars	1 3/4" dia	Grade 303-304 peeled, 2400mm - 2600mm lengths	\$	4.00 /KG
12 bars	1 3/4" dia	Grade 303-304 peeled, 1200mm - 1400mm lengths	\$	3.75 /KG
1,558 kgs^	44.45mm dia	4140HT H11	\$	POA /KG
1,100 kgs	44.45mm dia	8620 bright	\$	POA /KG
25 tonne^	45mm dia	S1214 black	\$	POA /KG
5 tonne^	45mm dia	K1020 bright	\$	2.20 /KG
12 tonne^	45mm dia	M1020AR black	\$	POA /KG
4,000 kgs^	45mm dia	M1030AR black	\$	POA /KG
500 kgs	45mm dia	K1030 precision ground	\$	POA /KG
260 kgs	45mm dia	K1040 bright, 20ft	\$	2.20 /KG
4 tonne	45mm dia	K1045 black, 20ft	\$	POA /KG
1 tonne	45mm dia	K1045 bright, 6.0met	\$	POA /KG
226 tonne^	45mm dia	K1050 black	\$	POA /KG
2,700 kgs	45mm dia	SAE4620 bright alloy annealed turned bar, 6.0met	\$	2.30 /KG
2 bars	45mm dia	Grade T630 stainless steel bright, 12ft	\$	5.00 /KG
6 tonne	45mm dia	Grade 300 black	\$	POA /KG
1,720 kgs	45mm dia	4140AR black	\$	POA /KG
500 kgs	45mm dia	4140HT precision ground H9	\$	POA /KG
1 bar	45mm dia	4340 alloy, 10ft	\$	4.90 /KG
4 bars	45mm dia	XK1340 black, 6.0met	\$	2.20 /KG
620 kgs	45mm dia	EN25HT peeled, 6.0met	\$	5.00 /KG
700 kgs	45mm dia	EN25HT black	\$	POA /KG
2 tonne	45mm dia	EN25 black as rolled	\$	4.80 /KG
320 kgs	45mm dia	EN25 black as rolled	\$	4.80 /KG
368 kgs	45mm dia	E410 Bohler steel black alloy, 12ft	\$	2.80 /KG
700 kgs	45mm dia	8620 as rolled black	\$	POA /KG
4 1/2 tonne	45.25mm dia	EN36A peeled	\$	POA /KG
1 tonne^	45.8mm dia	K1020, 12ft	\$	POA /KG
1,200 kgs	46mm dia	XK1335 black, 12ft	\$	2.20 /KG
4,115 kgs^	46mm dia	1214AR bright	\$	POA /KG
11 tonne	46.5mm dia	4140AR black	\$	POA /KG
11 tonne	46.5mm dia	K1020 black	\$	POA /KG
4 tonne	46.5mm dia	K1045 black	\$	POA /KG
1,700 kgs	46.5mm dia	8620AR black	\$	POA /KG
18 tonne^	46.5mm dia	S12L14 black	\$	POA /KG
6 tonne*	47mm dia	EN25 black annealed	\$	POA /KG
1,900 kgs***	47mm dia	EN25AR black	\$	POA /KG
2,251 kgs^	47mm dia	4140AR black	\$	POA /KG
1,030 kgs	47.62mm dia	S12L14 bright	\$	POA /KG
2,982 kgs^	47.625mm dia	1214AR bright	\$	POA /KG
5 1/2 tonne	1 7/8" dia	S1214 bright	\$	POA /KG
2,800 kgs	1 7/8" dia	S12L14 bright	\$	POA /KG
7 tonne^	1 7/8" dia	K1020 bright, 5800mm	\$	2.00 /KG
5 bars	1 7/8" dia	EN25HT bright, 6.0met	\$	5.00 /KG
3 bars	1 7/8" dia	Grade 321 stainless, 12ft + 288mm offcut	\$	5.40 /KG
9 1/2 bars**	48mm dia	EN25 as rolled black	\$	5.00 /KG
3,500 kgs	48mm dia	EN36A annealed	\$	POA /KG
5 bars	48mm dia	EN41B black, 11ft	\$	2.90 /KG
5,207 kgs	48mm dia	XK6140 black	\$	1.95 /KG
9 tonne	48mm dia	4140AR black	\$	POA /KG
7,252 kgs	48mm dia	4140, rusty and pitted		BARGAIN
900 kgs	48mm dia	4340 black as rolled, 6.0met	\$	POA /KG

1,400 kgs	48mm dia	4340HT black	\$	POA /KG
1 met	48mm dia	5140 black	\$	2.30 /KG
6 bars	48mm dia	51B40 black alloy, 6.0met	\$	2.30 /KG
6,800 kgs	48mm dia	8620AR black	\$	POA /KG
14 tonne^	48mm dia	S1214 black	\$	POA /KG
2 o/c	48mm dia	New Hall tool steel, 2.0met & 1.30met	\$	4.20 /KG
10 tonne^	48mm dia	K1020 black	\$	POA /KG
5 tonne^	48mm dia	K1030 black	\$	POA /KG
2,050 kgs	48mm dia	K1040 black, 6.0met	\$	POA /KG
39 tonne^	48mm dia	K1045 black	\$	POA /KG
2,800 kgs	48mm dia	K1045 black	\$	POA /KG
8 bars	48mm dia	K11M47 black	\$	2.00 /KG
1 bar	48mm dia	K15B35 black, 6.0met	\$	2.20 /KG
1 tonne	48.28mm dia	8620 bright	\$	POA /KG
400 kgs	50mm dia	K1020 bright	\$	2.10 /KG
6 tonne	50mm dia	K1020 black	\$	POA /KG
1,700 kgs	50mm dia	K1040 bright	\$	2.20 /KG
1,800 kgs	50mm dia	K1045 bright, 20ft	\$	2.10 /KG
9 tonne	50mm dia	K1045 black	\$	POA /KG
23 tonne	50mm dia	K1050 black	\$	POA /KG
900 kgs	50mm dia	S1214 bright, 12ft	\$	2.25 /KG
4 tonne	50mm dia	S1214 black	\$	POA /KG
5.5 tonne^	50mm dia	S12L14 bright, 12ft	\$	POA /KG
4 tonne^	50mm dia	S12L14 black	\$	POA /KG
420 kgs	50mm dia	4140HT black	\$	POA /KG
420 kgs	50mm dia	4140HT peeled, 6.0met	\$	POA /KG
1,171 kgs^	50mm dia	4140HT H11	\$	POA /KG
8,600 kgs	50mm dia	4140AR black, 5600mm	\$	2.10 /KG
8 tonne	50mm dia	4340 as rolled black	\$	POA /KG
9 tonne	50mm dia	8620 as rolled black, 20ft	\$	POA /KG
2,300 kgs	50mm dia	Grade 300 black	\$	1.60 /KG
8 tonne*	50mm dia	XK1320 black, 6.0met	\$	POA /KG
1,500 kgs	50mm dia	Deformed bar, 9.0met	\$	1.60 /KG
1 o/c	50mm dia	EN25HT peeled, 5' 6"	\$	5.00 /KG
2.22 tonne	50mm dia	EN36A annealed Peeled	\$	POA /KG
6 tonne^	50.8mm dia	S12L14 bright, 12ft	\$	POA /KG
1 bar	2" dia	EN41 Nitriding, 2.285met	\$	3.50 /KG
2,400 kgs	2" dia	K1045 bright, 6.0met	\$	2.20 /KG
2 bars	2" dia	4340 alloy black, 3400mm & 4640mm	\$	4.90 /KG
1,900 kgs	2" dia	K1045 bright	\$	2.10 /KG
800 kgs	2" dia	K1045 bent out of round R/C	\$	1.70 /KG
3 feet	2" dia	420 stainless	\$	3.95 /KG
1 off	2" dia	321 black stainless, 2900mm	\$	4.50 /KG
1 bar	51.5mm dia	4140 bright	\$	2.40 /KG
700 kgs	51.5mm dia	4140 H&T Peeled K12	\$	POA /KG
720 kgs	51.5mm dia	8620 peeled alloy	\$	3.00 /KG
6 feet	52mm dia	EN25 black	\$	5.00 /KG
8 tonne	52mm dia	8620 black	\$	POA /KG
1/2 tonne	52mm dia	8620 peeled alloy	\$	POA /KG
10 tonne	52mm dia	CS1020 AR black	\$	POA /KG
25,504 kgs^	52mm dia	M1020AR black	\$	POA /KG
1 tonne	52mm dia	K1030 black	\$	POA /KG
2 tonne	52mm dia	K1045 black	\$	POA /KG
13 tonne	52mm dia	EN36A annealed	\$	POA /KG
3 tonne*	52mm dia	4140AR black	\$	POA /KG
2,403 kgs^	52mm dia	1214AR bright	\$	POA /KG
11 tonne^	52mm dia	S1214 black	\$	POA /KG

10 tonne^	52mm dia	S12L14 black	\$	POA /KG
800 kgs	52.07mm dia	S12L14 black	\$	POA /KG
11 tonne	53mm dia	4340 as rolled black	\$	POA /KG
2 tonne	53.5mm dia	4140AR black	\$	POA /KG
5,760 kgs	53.97mm dia	S12L14 bright	\$	POA /KG
875 kgs^	53.975mm dia	M1030AR bright	\$	POA /KG
1,180 kgs^	53.975mm dia	4140HT H9	\$	POA /KG
2.8 tonne^	53.98mm dia	S1214 bright, 12ft	\$	POA /KG
1,038 kgs	2 1/8" dia	S1214 bright, 12ft	\$	2.20 /KG
5,760 kgs	2 1/8" dia	S12L14 bright	\$	POA /KG
24 tonne	54mm dia	4140AR black	\$	POA /KG
400 kgs	54mm dia	4140HT precision ground H9	\$	POA /KG
9 tonne	54mm dia	4140HT black	\$	POA /KG
1,600 kgs	54mm dia	K1020 black	\$	POA /KG
1,400 kgs	54mm dia	K1030 black	\$	POA /KG
14 tonne	54mm dia	K1045AR black	\$	POA /KG
550 kgs	55mm dia	EN36A peeled alloy, 6.0met	\$	4.40 /KG
4 bars	55mm dia	4140 annealed black	\$	POA /KG
5 1/2 tonne*	55mm dia	4140HT	\$	POA /KG
1,500 kgs	55mm dia	4340 as rolled black	\$	POA /KG
2 tonne	55mm dia	4340HT black	\$	POA /KG
5 tonne^	55mm dia	K1030 bright, 20ft	\$	POA /KG
300 kgs	55mm dia	K1045 PG, 12ft	\$	POA /KG
1 bar	55mm dia	O2 tool steel, 12ft	\$	3.50 /KG
1,270 kgs^	55mm dia	S1214AR bright	\$	POA /KG
1 bar	55mm dia	S12L14 leaded semi-bright, 12ft	\$	2.30 /KG
102 kgs	55.5mm dia	8620 black	\$	3.00 /KG
500 kgs	55.5mm dia	4140HT peeled, K12	\$	POA /KG
800 kgs	55.5mm dia	EN36A annealed & peeled	\$	POA /KG
4 bars	56mm dia	Grade 94B17 black, 20ft, case hardened similar to 8620	\$	2.20 /KG
3.9 tonne^	56mm dia	CS1020 bright	\$	POA /KG
8 bars	56mm dia	Similar to EN25 alloy spectro available	\$	4.40 /KG
12,300 kgs	56mm dia	4140AR black, 6.0met	\$	2.10 /KG
20 tonne	56mm dia	4140HT black	\$	POA /KG
462 kgs^	56mm dia	M1030AR bright	\$	POA /KG
9 tonne^	56mm dia	K1020 black	\$	1.65 /KG
8,500 kgs	56mm dia	K1030 black	\$	1.65 /KG
5 tonne	56mm dia	K1045 black	\$	1.65 /KG
1/2 tonne	56mm dia	S12L14 bright	\$	POA /KG
8 tonne	56mm dia	8620 black (1 tonne minimum)	\$	1.95 /KG
250 kgs	57mm dia	4340HT precision ground	\$	POA /KG
1 bar	57mm dia	EN24 alloy HY2 carbon, 2410mm	\$	3.90 /KG
4 feet	57mm dia	H13	\$	6.00 /KG
1,800 kgs	2 1/4" dia	K1020 bright, 20ft	\$	2.10 /KG
1 tonne	2 1/4" dia	K1030 bright, 20ft	\$	POA /KG
5 bars	2 1/4" dia	K1045 reject chrome, 20ft	\$	2.00 /KG
400 kgs	2 1/4" dia	K1045 bright	\$	2.10 /KG
6 tonne*	2 1/4" dia	S1214 bright	\$	POA /KG
1,200 kgs	2 1/4" dia	S12L14 bright	\$	2.35 /KG
1 bar	2 1/4" dia	4130 semi bright	\$	2.15 /KG
4 bars	2 1/4" dia	LTAH tool steel, 12ft	\$	3.50 /KG

7 tonne	2 1/4" dia	Chrome rod by Enduro Duro Case Prime	\$	2.50 /KG
		92 off x 35 1/2" long, 70 off x 42 1/2" long, 42 off x 36.44" long		
10 tonne	58mm dia	K1020 black	\$	POA /KG
9 tonne	58mm dia	K1045 black	\$	POA /KG
6 tonne	58mm dia	4140HR HT	\$	POA /KG
700 kgs	58mm dia	4140HT peeled	\$	POA /KG
700 kgs	58mm dia	S1214 black	\$	POA /KG
1,415 kgs^	58mm dia	M1030AR black	\$	POA /KG
10 tonne	60mm dia	K1020 black (1 tonne minimum)	\$	1.35 /KG
5 tonne	60mm dia	M1020AR bright	\$	POA /KG
6 tonne	60mm dia	K1030 bright, 6.0met	\$	POA /KG
9 tonne	60mm dia	K1030 black	\$	POA /KG
1 tonne	60mm dia	K1030 precision ground	\$	POA /KG
2,400 kgs	60mm dia	K1040 black	\$	POA /KG
2 bars	60mm dia	K1045 reject induction hardened	\$	1.90 /KG
1 tonne^	60mm dia	K1045 PG, 12ft	\$	POA /KG
6,100 kgs	60mm dia	K1045AR black, 6.7met	\$	1.90 /KG
8 tonne	60mm dia	Grade 250 black	\$	POA /KG
200 kgs	60mm dia	Grade 300 black, 6.0met	\$	1.65 /KG
700 kgs	60mm dia	4140AR black	\$	POA /KG
17 tonne^	60mm dia	4140HR H&T	\$	POA /KG
7 bars	60mm dia	Grade 4120 black alloy, 6.0met	\$	2.35 /KG
160 kgs	60mm dia	E410 Bohler, black alloy, 12ft, C .17%, M 1.2%, S .3%, Cr .9%	\$	2.20 /KG
200 kgs	60mm dia	4140HT peeled, 3150mm long	\$	3.05 /KG
1/2 bar	60mm dia	4340 as rolled black	\$	4.00 /KG
7 tonne^	60mm dia	4340 as rolled black	\$	POA /KG
1 bar	60mm dia	4340 black spectro Comsteel	\$	4.00 /KG
1 bar	60mm dia	8620 black alloy, 6.0met	\$	3.00 /KG
955 kgs^	60mm dia	S12L14AR bright	\$	POA /KG
6 tonne^	60mm dia	S12L14 black	\$	POA /KG
1,500 kgs	60mm dia	S1214 bright	\$	2.10 /KG
14 bars	60mm dia	P8 14% Manganese, 20ft	\$	3.50 /KG
6 bars	60mm dia	EN20HT alloy black, 12ft	\$	4.90 /KG
630 kgs	60mm dia	EN30B alloy black, 12ft	\$	4.90 /KG
2,700 kgs	60mm dia	EN36A peeled	\$	POA /KG
2 1/2 bars	60mm dia	EN39B alloy bright, 4100mm	\$	5.00 /KG
4 off	60mm dia	L2 alloy, 12ft	\$	2.50 /KG
24,000 kgs***	60mm dia	15B34M	\$	POA /KG
3,770 kgs	60mm dia	XK51B40 FFG black	\$	POA /KG
950 kgs	60mm dia	X3K1053 black	\$	1.70 /KG
530 kgs	60mm dia	U15M17, rusty		BARGAIN
3,100 kgs^	60.32mm dia	S12L14 bright	\$	POA /KG
2 bars	2 3/8"	S12L14	\$	2.50 /KG
1 off	2 3/8"	PRNZ L100A solid worked tool, 1815mm	\$	3.95 /KG
1 bar	61mm dia	4130 black	\$	2.50 /KG
1,100 kgs	2 1/2" dia	K1020 bright, 6.0met	\$	2.10 /KG
3,600 kgs	2 1/2" dia	K1030 bright	\$	2.10 /KG
500 kgs	2 1/2" dia	K1040 bright, 6.0met	\$	2.20 /KG
220 kgs	2 1/2" dia	K1045 bright	\$	2.20 /KG
1 bar	2 1/2" dia	K1045 R/C	\$	1.90 /KG
1 o/c	2 1/2" dia	K1045 bright, 3.0met	\$	2.20 /KG
8 tonne	2 1/2" dia	8620AR black	\$	POA /KG
1 o/c	2 1/2" dia	4140HT peeled, 2.0met	\$	2.50 /KG

100 kgs	2 1/2" dia	S1214 bright	\$	2.40 /KG
100 kgs	2 1/2" dia	S12L14 bright	\$	2.50 /KG
22.83 tonne^	2 1/2" dia	S12L14 bright	\$	POA /KG
2,000 kgs	2 1/2" dia	Grade 420 stainless bright, 4.0met	\$	3.50 /KG
10 tonne*	63.5mm dia	K1020AR black	\$	POA /KG
12 tonne*	63.5mm dia	K1045AS rolled black	\$	POA /KG
6 1/2 tonne*	63.5mm dia	4140AR black	\$	POA /KG
700 kgs^	63.5mm dia	4140HT K12	\$	POA /KG
2 tonne	64mm dia	S1214 black	\$	POA /KG
8 tonne	64mm dia	K1020 black	\$	POA /KG
12 tonne	64mm dia	K1030 black	\$	POA /KG
12 tonne^	64mm dia	K1045 black	\$	POA /KG
16 1/2 tonne	64mm dia	4140 as rolled black	\$	POA /KG
1 o/c	64.5mm dia	Ketos steel, 1.0met	\$	3.80 /KG
1 bar	65mm dia	B16 alloy, 2.985met	\$	2.00 /KG
1 tonne^	65mm dia	4140H&T Chrome, 12ft	\$	POA /KG
4 o/c	65mm dia	4340 peeled alloy, approx. 500mm	\$	4.00 /KG
4 1/2 tonne	65mm dia	K1020 black	\$	POA /KG
2,600 kgs	65mm dia	K1020 bright, 20ft	\$	POA /KG
190 kgs	65mm dia	K1030 bright	\$	2.20 /KG
300 kgs	65mm dia	K1030 precision ground	\$	POA /KG
2 tonne	65mm dia	1030AS rolled black	\$	POA /KG
1,400 kgs	65mm dia	K1040 bright	\$	POA /KG
1 tonne	65mm dia	K1045 black, 6.0met	\$	1.75 /KG
3 tonne^	65mm dia	K1045IH Chrome, 12ft (1 tonne minimum)	\$	3.77 /KG
5.6 tonne^	65mm dia	K1045 PG, 12ft	\$	POA /KG
2.3 tonne^	65mm dia	K1045 IHC, 12ft	\$	POA /KG
300 kgs	65mm dia	S1214 bright	\$	2.25 /KG
7,700 kgs	65mm dia	S1214 black	\$	POA /KG
1,124 kgs	65mm dia	S12L14 black, 6.0met	\$	1.80 /KG
8 tonne^	65mm dia	S12L14 black	\$	POA /KG
300 kgs	65mm dia	EN25AR black alloy (parcel lot)	\$	2.70 /KG
6,200 kgs	65mm dia	EN36A as rolled	\$	POA /KG
1,300 kgs	65mm dia	EN39B alloy (1 tonne minimum)	\$	4.55 /KG
1,400 kgs	65mm dia	XK15B35 black	\$	2.20 /KG
1/2 tonne	65mm dia	8620AR black	\$	POA /KG
1 bar	66mm dia	K1030 black, 3920mm long	\$	1.85 /KG
882 kgs	2 5/8" dia	S1214 bright	\$	2.20 /KG
2 bars	2 5/8" dia	S12L14 bright, 12ft	\$	2.50 /KG
576 kgs	2 5/8" dia	S12L14, 12ft	\$	POA /KG
2,006 kgs^	66.675mm dia	M1030AR bright	\$	POA /KG
6 off	67mm dia	17% Chrome, 47% Nickle, tool steel, 800mm	\$	5.00 /KG
2 tonne	68.5mm dia	K1020 black	\$	POA /KG
7 tonne	68.5mm dia	1020AS rolled black	\$	POA /KG
6 tonne	68.5mm dia	K1030 black	\$	POA /KG
22 tonne	68.5mm dia	K1045 black	\$	POA /KG
2 tonne	68.5mm dia	8620AR black	\$	POA /KG
28 tonne^	68.5mm dia	4140 black as rolled	\$	POA /KG
6 tonne	68.5mm dia	4140HT black	\$	POA /KG
6 tonne	68.5mm dia	S1214 black	\$	POA /KG
137 feet	69mm dia	XS1112 black, 6.0met free cutting	\$	1.50 /KG
1 tonne	69.85mm dia	K1020 bright	\$	POA /KG
1/2 tonne	69.85mm dia	K1030 bright, 12ft	\$	POA /KG
2.7 tonne^	69.85mm dia	K1045 IHC, 12ft	\$	POA /KG

1/2 tonne	69.85mm dia	K1045 bright	\$	POA /KG
1 tonne^	69.85mm dia	S1214 bright, 12ft	\$	POA /KG
19 tonne^	69.85mm dia	S12L14 bright, 12ft	\$	POA /KG
3 tonne	2 3/4" dia	K1018 bright	\$	2.10 /KG
2 bars	2 3/4" dia	K1045 black, 3.18met	\$	1.70 /KG
21 bars	2 3/4" dia	K1050 chrome bar prime, 10ft	\$	2.95 /KG
14 ft	2 3/4" dia	K1137 black	\$	2.30 /KG
30 kgs	2 3/4" dia	4140HT precision ground bright	\$	3.00 /KG
1 o/c	2 3/4" dia	H21 Sabex tool steel, 9ft	\$	7.00 /KG
9 bars	2 3/4" dia	LTAH tool steel, 12ft	\$	3.30 /KG
10,500 kgs	70mm dia	4140HT	\$	POA /KG
10 tonne^	70mm dia	4140AR black	\$	POA /KG
1/2 bar	70mm dia	4340 alloy reject chrome	\$	4.00 /KG
2 1/2 tonne	70mm dia	4340HT black	\$	POA /KG
290 kgs	70mm dia	4340HT black	\$	4.90 /KG
10 tonne	70mm dia	4340 as rolled black	\$	POA /KG
8 bars	70mm dia	Black mild, 6.0met	\$	1.55 /KG
2 bars	70mm dia	8150 black alloy, 5525mm & 4995mm	\$	2.90 /KG
5 tonne*	70mm dia	8620AR black	\$	POA /KG
1,200 tonne	70mm dia	8620 bright	\$	3.00 /KG
9 tonne	70mm dia	K1020 black	\$	POA /KG
200 kgs	70mm dia	K1030 bright slight air rust, 20ft	\$	1.80 /KG
3,700 kgs	70mm dia	K1030 black	\$	POA /KG
2 tonne	70mm dia	K1040 black, 6.0met	\$	1.65 /KG
8,600 kgs	70mm dia	K1045 black, 6.0met	\$	1.65 /KG
1 tonne^	70mm dia	K1045 chrome, 12ft	\$	POA /KG
1 1/2 tonne	70mm dia	K1045 bright, 20ft	\$	2.20 /KG
2 bars	70mm dia	XK1315 black, 12ft	\$	2.00 /KG
1 tonne	70mm dia	S1214 bright	\$	POA /KG
1 tonne	70mm dia	S1214	\$	POA /KG
2,600 kgs	70mm dia	S1214 black	\$	POA /KG
1 bar	70mm dia	S12L14 bright, 12ft	\$	2.50 /KG
3 tonne	70mm dia	S12L14 black	\$	POA /KG
3,370 kgs	70mm dia	EN36A	\$	POA /KG
1,500 kgs	70mm dia	EN39B alloy	\$	POA /KG
3 bars	70mm dia	LTAH (=A6) cold work tool steel, 3.3met	\$	3.50 /KG
2 bars	71mm dia	X4150HT black alloy	\$	3.00 /KG
1 bar	71mm dia	8150 alloy	\$	3.00 /KG
500 kgs	71mm dia	4140HT peeled K12	\$	POA /KG
1 o/c	2 7/8" dia	Black, 3.0met	\$	1.60 /KG
2,515 kgs^	72mm dia	S1214AR bright	\$	POA /KG
4 bars	73mm dia	H19 tool steel, 12ft	\$	3.95 /KG
12 tonne	73mm dia	4140 as rolled black	\$	POA /KG
20 tonne	73mm dia	4140HT black	\$	POA /KG
5 tonne	73mm dia	S12L14 black	\$	POA /KG
5.5 tonne^	73.02mm dia	S12L14 bright	\$	POA /KG
16 tonne	73.5mm dia	K1020 black	\$	POA /KG
10 tonne	73.5mm dia	K1045 black	\$	POA /KG
5 tonne	73.5mm dia	4140 black as rolled	\$	POA /KG
4,000 kgs	75mm dia	4140F black as rolled	\$	2.10 /KG
22 tonne	75mm dia	4140HT black	\$	POA /KG

2 bars	75mm dia	4140HT peeled	\$	POA /KG
25 bars	75mm dia	4140 as rolled black slightly bent *Bargain Price*	\$	1.65 /KG
10,723 kgs^	75mm dia	4140AR black	\$	POA /KG
2 bars	75mm dia	4340 annealed, 6.0met	\$	4.50 /KG
1,800 kgs	75mm dia	4340HT peeled	\$	POA /KG
1,200 kgs	75mm dia	4340HT peeled precision ground H11	\$	POA /KG
5 tonne	75mm dia	K1020 black, 6.0met	\$	1.70 /KG
1 bar	75mm dia	K1020 bright, slight dark line on bar	\$	2.00 /KG
3,800 kgs	75mm dia	K1030 black	\$	POA /KG
1.9 tonne^	75mm dia	K1045 PG, 12ft	\$	POA /KG
1,400 kgs	75mm dia	K1040 black, 6.0met	\$	1.60 /KG
1 tonne	75mm dia	K1045 bright, 20ft	\$	2.30 /KG
11 tonne	75mm dia	K1045 black	\$	POA /KG
800 kgs	75mm dia	K1045 PG	\$	POA /KG
4,000 kgs	75mm dia	Grade 300 plus black	\$	POA /KG
7 tonne	75mm dia	Grade 5135 black, 6.0met	\$	2.00 /KG
100 kgs	75mm dia	Grade 6587 annealed alloy peeled or 17CR Ni Mo6	\$	5.00 /KG
8,300 kgs	75mm dia	EN36A as rolled	\$	POA /KG
5 tonne	75mm dia	S1214 black	\$	POA /KG
11 bars	75mm dia	K5190 ball crushing material	\$	1.80 /KG
2,200 kgs	75mm dia	XK51B40 FFG, black	\$	POA /KG
4,702 kgs	75mm dia	XK15B35FFG, rusty		BARGAIN
1 o/c	75mm dia	R16 alloy black, 690mm	\$	2.50 /KG
10 tonne	75mm dia	SAE8620 black alloy, 5.0met bargain	\$	2.35 /KG
1 bar	75mm dia	New Hall tool steel	\$	3.60 /KG
1 tonne	3" dia	4140	\$	POA /KG
1 o/c	3" dia	4340 Alloy, 700mm	\$	4.00 /KG
600 kgs	3" dia	4340HT precision ground H9	\$	POA /KG
1 bar	3" dia	H14, 2.885met	\$	3.50 /KG
1 bar	3" dia	PRN2 tool steel, 11ft	\$	3.50 /KG
2 bars	3" dia	S7 peeled & rusty, 884mm & 1195mm	\$	3.00 /KG
3 tonne	3" dia	S1214 bright	\$	POA /KG
2 bars	3" dia	EN25 black as rolled, 6.0met	\$	5.00 /KG
1 bar	3" dia	Grade 420 stainless, 1460mm	\$	3.90 /KG
1,670 kgs	3" dia	K1045 bright reject chrome, 6.0met	\$	2.00 /KG
2 bars	3" dia	K1030 bright	\$	POA /KG
5 bars	3" dia	K1020 bright	\$	2.40 /KG
1 o/c	3" dia	K1045 PG, 14ft	\$	2.80 /KG
1 o/c	76mm dia	S7, 1860mm	\$	3.00 /KG
3 tonne^	76.2mm dia	K1045 Chrome, 12ft	\$	POA /KG
1/2 tonne	76.2mm dia	S12L14 bright	\$	POA /KG
1 bar	77mm dia	C .16%, Ni 5%, Cr .15%, Mo .28%	\$	3.50 /KG
5 bars	77mm dia	K1030 black, 3340mm, Cr & Mo	\$	1.60 /KG
3 bars	78mm dia	PRN2 tool steel, 12ft	\$	3.50 /KG
3 bars	78mm dia	H13 tool steel peeled, 20ft	\$	6.00 /KG
1 o/c	78mm dia	H14 tool steel, 3.0met	\$	3.00 /KG
13 tonne^	79.39mm dia	S12L14 bright	\$	POA /KG
1 tonne	80mm dia	4140HT black	\$	POA /KG
12 tonne	80mm dia	4140 as rolled black	\$	POA /KG
7 tonne	80mm dia	4340AR black	\$	POA /KG
4 tonne	80mm dia	EN25AR black	\$	POA /KG

500 kgs	80mm dia	EN25HT black	\$	POA /KG
6 bars	80mm dia	EN34 black alloy	\$	4.00 /KG
3,800 kgs	80mm dia	EN36A as rolled	\$	POA /KG
2,300 kgs	80mm dia	EN39B alloy (1 tonne minimum)	\$	4.55 /KG
13 tonne	80mm dia	8620AR black	\$	POA /KG
13 feet	80mm dia	8645 black alloy, 3 @ 1250mm	\$	2.50 /KG
12 tonne	80mm dia	S45 black, K1045	\$	1.65 /KG
5 tonne^	80mm dia	K1030 black, 6.0met	\$	POA /KG
1 bar	80mm dia	K1040 bright	\$	2.30 /KG
2,638 kgs^	80mm dia	K1040AR bright	\$	POA /KG
578 kgs	80mm dia	K1045 induction hardened	\$	POA /KG
4 bars	80mm dia	K1045 chrome plated bar prime, 6250mm long bargain	\$	2.80 /KG
50 bars	80mm dia	K1045 black	\$	POA /KG
0.8 tonne^	80mm dia	K1045 chrome, 12ft	\$	POA /KG
2,133 kgs	80mm dia	K1045 black, 6.0met	\$	1.90 /KG
7 tonne	80mm dia	K1045AR black	\$	POA /KG
11 tonne^	80mm dia	S1214 bright, 12ft	\$	POA /KG
8 tonne^	80mm dia	S1214 black	\$	POA /KG
3800 kgs	80mm dia	S12L14 black	\$	POA /KG
200 kgs	80mm dia	5140 alloy as rolled black, 20ft	\$	2.30 /KG
1,400 kgs	80mm dia	17CRNiMo6 alloy (X4317)	\$	POA /KG
700 kgs	80mm dia	XK15B35 black, 6.0met	\$	2.20 /KG
6 bars	82mm dia	H19 tool steel peeled, 12ft	\$	2.90 /KG
1 o/c	82mm dia	M5, 2.0met	\$	5.00 /KG
2,600 kgs	82mm dia	4140HT peeled, H11 tolerance	\$	POA /KG
1 1/2 bars	82mm dia	4140HT peeled	\$	3.10 /KG
1 bar	82mm dia	4140HT black, 6.0met	\$	3.00 /KG
2 bars	82mm dia	4140AR black	\$	2.30 /KG
1,787 kgs^	82mm dia	4317HT K12	\$	POA /KG
2 o/c	82mm dia	Grade 8645 black, 1.0met	\$	2.00 /KG
1 o/c	82mm dia	EN25 bright, 435mm	\$	4.00 /KG
570 kgs	3 1/4" dia	K1020 bright, 6.0met	\$	2.30 /KG
1 bar	3 1/4" dia	K1040 bright, 6.0met	\$	2.40 /KG
1 o/c	3 1/4" dia	4340HT alloy, 2.635met	\$	4.00 /KG
1 bar	3 1/4" dia	4620 alloy, C.22%, Mn .63%, Ni 1.69%, Mo .22%	\$	2.50 /KG
100 kgs	3 1/4" dia	CS1020 bright, 5.0met	\$	2.30 /KG
2,400 kgs	3 1/4" dia	S1214 bright	\$	POA /KG
600 kgs	3 1/4" dia	S12L14 bright	\$	2.70 /KG
3 off	3 1/4" dia	17% Chrome, 47% Nickle, tool steel, 600mm	\$	7.00 /KG
4 met	3 1/4" dia	H11 tool steel	\$	5.50 /KG
10 tonne	85mm dia	K1020 black	\$	POA /KG
22,365 kgs***	85mm dia	K1022F, black	\$	POA /KG
2 tonne	85mm dia	K1030 bright	\$	POA /KG
7 tonne	85mm dia	K1030 black	\$	POA /KG
3,735 kgs^	85mm dia	K1045AR bright	\$	POA /KG
8 tonne	85mm dia	K1045 black	\$	POA /KG
1 o/c	85mm dia	EN19 black, 2.4met	\$	2.40 /KG
500 kgs	85mm dia	EN36A annealed	\$	POA /KG
800 kgs	85mm dia	EN36A as rolled	\$	POA /KG
7 tonne	85mm dia	4140 black as rolled	\$	POA /KG
2 tonne	85mm dia	4140HT peeled H10	\$	POA /KG
1 bar	85mm dia	4135 alloy	\$	2.20 /KG
1 tonne	85mm dia	4340HT black	\$	POA /KG

15 inch	85mm dia	4340 alloy	\$	4.00 /KG
16 tonne	85mm dia	8620 black	\$	POA /KG
6 tonne^	85mm dia	S1214 black	\$	POA /KG
4 1/2 tonne^	85mm dia	S1214 bright, 12ft	\$	POA /KG
15 tonne	85mm dia	S12L14 black	\$	POA /KG
1 tonne	85mm dia	New Hall tool steel	\$	3.00 /KG
2,000 kgs	86.4mm dia	CS1020 bright, 10ft	\$	2.00 /KG
79 kgs	87mm dia	EN36A	\$	4.90 /KG
1 o/c	88mm dia	Mild black, 340mm	\$	1.50 /KG
400 kgs	3 1/2" dia	K1018 bright, 6.0met	\$	2.10 /KG
1 bar	3 1/2" dia	K1030 bright, 6.0met	\$	2.10 /KG
1 bar	3 1/2" dia	K1045 bright induction hardened, 20ft	\$	2.00 /KG
1 bar	3 1/2" dia	4140 induction hardened	\$	2.40 /KG
1 bar	3 1/2" dia	K1045 bright, 5.0met	\$	2.40 /KG
1 bar	3 1/2" dia	CS1020 bright, 6.0met	\$	2.40 /KG
700 kgs	3 1/2" dia	S1214 bright, 12ft	\$	POA /KG
720 kgs	3 1/2" dia	S12L14 bright	\$	2.70 /KG
11 tonne^	3 1/2" dia	S12L14 bright	\$	POA /KG
6.5 tonne^	88.9mm dia	K1020, 12ft	\$	POA /KG
1 off	90mm dia	Grade 431 stainless, 645mm	\$	3.50 /KG
2 bars	90mm dia	Grade 476 tool steel, 1.19met & 1.745met	\$	3.00 /KG
2,000 kgs	90mm dia	Grade 300 plus black	\$	POA /KG
1 o/c	90mm dia	Grade 1018 reject chrome, 3.5met	\$	2.00 /KG
8 tonne	90mm dia	8620 as rolled black, 20ft	\$	2.45 /KG
4,805 kgs	90mm dia	K8620H, rusty		BARGAIN
300 kgs	90mm dia	EN36A annealed	\$	4.90 /KG
4 tonne	90mm dia	4140HT black	\$	POA /KG
2 bars	90mm dia	4140HT K12 peeled	\$	3.10 /KG
3,600 kgs	90mm dia	4140 black as rolled	\$	2.10 /KG
1 o/c	90mm dia	4140AR black, 800mm	\$	2.10 /KG
8 tonne	90mm dia	4340HT black	\$	POA /KG
600 kgs	90mm dia	4340HT peeled	\$	POA /KG
6 tonne	90mm dia	K1020 black, 6.0met	\$	POA /KG
9 tonne	90mm dia	K1030 black	\$	POA /KG
1 bar	90mm dia	K1035 black, 2435mm	\$	1.70 /KG
6,900 kgs	90mm dia	K1045 black, 6.0met	\$	1.70 /KG
100 kgs	90mm dia	K1045 bright, 6.0met	\$	2.20 /KG
1,200 kgs	90mm dia	K1045 precision ground	\$	POA /KG
1 o/c	90mm dia	D3 tool steel, 895mm	\$	5.00 /KG
1 bar	90mm dia	S7, 14ft	\$	3.50 /KG
4 tonne	90mm dia	S45 black, K1045	\$	1.65 /KG
2 bars	90mm dia	LTAH tool steel, 2980mm long	\$	3.50 /KG
5 tonne	90mm dia	17CR Ni Mo 6, alloy (1 tonne minimum)	\$	3.25 /KG
9 tonne^	90mm dia	XK11M23F black	\$	POA /KG
1 bar	92mm dia	Black 2.3met, C .18%, Mn .53%, Ni 2.9%, Cr 1.5% & Mo .32%	\$	2.50 /KG
1 bar	92.45mm dia	4140HT peeled, 6.0met	\$	3.10 /KG
12 tonne^	93mm dia	S12L14 black	\$	POA /KG
1 bar	3 5/8" dia	V3 wear resistant alloy iron	\$	2.50 /KG
1 bar	95mm dia	H14 Comsteel, 1.315met	\$	3.50 /KG
1,320 kgs	95mm dia	K1020 bright, 6.0met	\$	POA /KG
10 tonne	95mm dia	K1020 black	\$	POA /KG

8 tonne	95mm dia	1030AS rolled black	\$	POA /KG
11 tonne	95mm dia	K1045 black	\$	POA /KG
6,069 kgs^	95mm dia	K1045AR bright	\$	POA /KG
300 kgs	95mm dia	EN25HT black alloy	\$	5.00 /KG
1 o/c	95mm dia	EN33 alloy, 100mm	\$	2.60 /KG
600 kgs	95mm dia	4140HT precision ground	\$	POA /KG
10 tonne^	95mm dia	4340 as rolled black	\$	POA /KG
1 tonne^	95mm dia	4340HT black	\$	POA /KG
10 tonne^	95mm dia	8620 black	\$	POA /KG
1 bar	95mm dia	Alloy 3325 bright, 6.0met	\$	2.50 /KG
3 bars	95mm dia	LTAH tool steel, 12ft	\$	3.30 /KG
1 bar	95mm dia	PRN2, 1.44met	\$	3.30 /KG
1 bar	95mm dia	S1214 bright, 9ft	\$	2.30 /KG
2 tonne	95mm dia	S1214AR black	\$	POA /KG
7 o/c	95mm dia	Black GS .19% Nic, Chrome Mo 12.6%, 500mm	\$	2.00 /KG
2 bars	96mm dia	3140 alloy, 2300mm & 4570mm long	\$	2.00 /KG
1 off	96mm dia	Grade 300 stainless series, 3ft	\$	3.50 /KG
4 bars	96mm dia	Grade 2340 black, 11ft	\$	2.00 /KG
4,800 kgs	97mm dia	EN36A annealed & peeled	\$	POA /KG
11 bars	99mm dia	EN33 black alloy 3.0% Nickle, 6.0met	\$	2.40 /KG
1 tonne	100mm dia	4340HT precision ground H8	\$	POA /KG
8,200 kgs	100mm dia	4340 as rolled black	\$	POA /KG
1 1/2 bars	100mm dia	K1020 bright, 6.0met	\$	2.35 /KG
5 tonne^	100mm dia	K1020 black	\$	POA /KG
300 kgs	100mm dia	EN39B alloy	\$	POA /KG
3,700 kgs	100mm dia	K1030 black	\$	POA /KG
2 tonne^	100mm dia	K1045 black, 20ft	\$	1.65 /KG
5,600 kgs	100mm dia	S45 black, K1045	\$	1.65 /KG
2 tonne	100mm dia	S1214 black	\$	POA /KG
3 tonne*	100mm dia	8620AR black	\$	POA /KG
1 o/c	100mm dia	8620AR black, 2975mm	\$	2.90 /KG
17 bars	100mm dia	4140 black as rolled slightlybent, 4.0met *Bargain Price*	\$	1.65 /KG
8 tonne^	100mm dia	4140 black as rolled	\$	POA /KG
270 kgs	4" dia	S1214 bright, 12ft	\$	2.65 /KG
4 tonne	4" dia	S12L14 bright	\$	POA /KG
700 kgs	4" dia	K1018 bright, 20ft	\$	POA /KG
1 bar	4" dia	K1040 bright, 4.0met	\$	2.60 /KG
2 bars	4" dia	K1045 bright	\$	2.60 /KG
1,400 kgs	4" dia	4340HT precision ground H8	\$	POA /KG
1 o/c	4" dia	PRN2 peeled tool steel L100A oil hardening, 13ft	\$	3.50 /KG
4 bars	4" dia	P8 12% Manganese steel, 6.0met	\$	3.30 /KG
17 tonne^	105mm dia	4140 black as rolled	\$	POA /KG
2 tonne^	105mm dia	4340 black as rolled	\$	POA /KG
1 bar	105mm dia	5140 alloy hard chromed, 2550mm	\$	2.20 /KG
6 tonne	105mm dia	8620AR black (1 tonne minimum)	\$	2.30 /KG
20 tonne^	105mm dia	K1020 black	\$	POA /KG
20 tonne^	105mm dia	K1030 black	\$	POA /KG
10 tonne^	105mm dia	K1045 black	\$	POA /KG
1,400 kgs	105mm dia	EN25 black as rolled	\$	POA /KG
1 o/c	105mm dia	EN36A black, 900mm	\$	4.90 /KG
1 o/c	106mm dia	4340HT peeled, 960mm	\$	4.90 /KG

1 bar	106mm dia	4620 black, 6.0met	\$	2.50 /KG
4 bars	106mm dia	SD12 tool steel (EN30B)	\$	4.20 /KG
1 tonne	106mm dia	17CR Ni Mo 6	\$	POA /KG
3 o/c	107mm dia	1% Carbon tool steel, 2090mm	\$	2.00 /KG
2 tonne	107mm dia	Stainless 440C, 6.0met	\$	POA /KG
5 bars	110mm dia	EN30B alloy	\$	4.20 /KG
1,900 kgs	110mm dia	EN36A as rolled	\$	POA /KG
2,800 kgs	110mm dia	EN36A annealed	\$	POA /KG
2,500 kgs	110mm dia	EN39B alloy	\$	POA /KG
10 tonne^	110mm dia	K1020 black	\$	1.90 /KG
15 tonne^	110mm dia	K1045 black	\$	1.70 /KG
16 tonne^	110mm dia	4140AR black	\$	POA /KG
1,200 kgs	110mm dia	4340HT peeled K12	\$	POA /KG
1,300 kgs	110mm dia	4340AR black	\$	POA /KG
3 tonne	110mm dia	4340HT black	\$	POA /KG
550 kgs	110mm dia	1215 bright, 12ft	\$	POA /KG
7,800 kgs	110mm dia	8620AR black	\$	POA /KG
7 feet	110mm dia	8620 black	\$	2.90 /KG
1,200 kgs	110mm dia	8620 bright	\$	POA /KG
4,715 kgs^	110mm dia	18CrNiMo7-6 K12 annealed	\$	POA /KG
4,200 mm	110mm dia	H13 tool steel peeled	\$	6.00 /KG
1 bar	112mm dia	EN30B black alloy, 6.0met	\$	4.20 /KG
1 o/c	113mm dia	K1380 black, 1.0met	\$	2.00 /KG
1 tonne	114.3mm dia	C1018, 12ft	\$	POA /KG
1 tonne	114.3mm dia	S1214 bright, 12ft	\$	POA /KG
600 kgs	114.3mm dia	4140HT precision ground	\$	POA /KG
1 o/c	4 1/2" dia	K1045 bright, 1.0met	\$	2.60 /KG
4 o/c	4 1/2" dia	EN30B SD12 tool steel, 2300mm	\$	4.20 /KG
10 tonne^	115mm dia	K1020 black	\$	POA /KG
952 kgs^	115mm dia	M1020 bright	\$	POA /KG
15 tonne	115mm dia	K1030 black	\$	POA /KG
11 tonne*	115mm dia	K1045 black	\$	POA /KG
1 tonne	115mm dia	K1045 bright	\$	POA /KG
2,000 kgs	115mm dia	EN36A black	\$	4.90 /KG
4 tonne^	115mm dia	4140AR black	\$	POA /KG
1 bar	115mm dia	5140 alloy bright	\$	2.20 /KG
1,800 kgs	115mm dia	8620 black	\$	POA /KG
2,200 kgs	116mm dia	EN36A peeled, 5800mm	\$	4.90 /KG
2,630 mm	116mm dia	H13 tool steel peeled ADIC	\$	6.00 /KG
1 bar	117mm dia	Black unknown, 1.79met	\$	1.60 /KG
750 kgs	120mm dia	4140HT peeled, 20ft	\$	POA /KG
1 o/c	120mm dia	4140HT peeled, 740mm	\$	3.10 /KG
30,000 kgs^	120mm dia	4140HR HT black	\$	POA /KG
18 tonne*	120mm dia	4140AR black	\$	POA /KG
3,000 kgs	120mm dia	8620 black alloy	\$	POA /KG
12 tonne^	120mm dia	K1020 black	\$	POA /KG
2 tonne	120mm dia	K1030 black	\$	POA /KG
8,900 kgs^	120mm dia	K1045 black	\$	1.90 /KG
2,067 kgs^	120mm dia	K1045AR bright	\$	2.30 /KG
2 o/c	120mm dia	EN26AR, 900mm & 485mm	\$	4.90 /KG
456 kgs	120mm dia	S101A AB65 tool steel, 2130mm & 2095mm	\$	3.00 /KG

2 o/c	120mm dia	P20 tool steel, 380mm & 445mm approx	\$	2.80 /KG
1 o/c	120mm dia	L5 black, 575mm	\$	2.20 /KG
2 o/c	120mm dia	H13 peeled, 1840mm & 1430mm	\$	5.00 /KG
1,500 kgs	120mm dia	S1214 bright	\$	POA /KG
1 off	121mm dia	P20 PLD, 1275mm (= 4140 plus sulphur)	\$	2.50 /KG
1 o/c	122mm dia	K1045 counter weight, 900mm	\$	1.60 /KG
8 tonne	125mm dia	8620AR black	\$	POA /KG
8 tonne	125mm dia	4140AR black	\$	POA /KG
2 tonne^	125mm dia	4140HT black	\$	POA /KG
7,300 kgs	125mm dia	4340 as rolled black	\$	POA /KG
2,700 kgs	125mm dia	4340HT black	\$	POA /KG
203 kgs	125mm dia	EN30A alloy black, 1700mm	\$	4.20 /KG
2,284 kgs^	125mm dia	M1020AR bright	\$	POA /KG
10 tonne^	125mm dia	M1020AR black	\$	POA /KG
10 tonne^	125mm dia	K1030 black	\$	POA /KG
8 tonne^	125mm dia	K1045AR black	\$	POA /KG
1 o/c	126mm dia	Q7 3140 alloy black, 15" EN111	\$	2.25 /KG
1 o/c	127mm dia	S1214 peeled rusty, 400mm	\$	2.50 /KG
2,324 kgs^	127mm dia	K1045 bright	\$	POA /KG
2,200 kgs	127mm dia	4140HT peeled H11	\$	POA /KG
1 tonne	5" dia	C1018 bright	\$	POA /KG
1 tonne	5" dia	K1040 bright	\$	POA /KG
2 tonne	5" dia	S1214 bright, 12ft	\$	POA /KG
1 bar	5" dia	AISI A7 SC 46 tool steel, 12ft	\$	3.90 /KG
1 bar	5" dia	black counterweight	\$	POA /KG
1,200 kgs	128mm dia	EN36A peeled	\$	4.90 /KG
1 1/2 bars	130mm dia	EN36A peeled	\$	4.90 /KG
27,400 kgs	130mm dia	8620 alloy black	\$	2.90 /KG
1 o/c	130mm dia	8620 black, 2.0met	\$	2.70 /KG
1 off	130mm dia	4140HT black offcut, 3500mm	\$	2.65 /KG
10 tonne^	130mm dia	4340 as rolled black	\$	POA /KG
3 tonne^	130mm dia	4340HT black	\$	POA /KG
1,200 kgs	130mm dia	4340HT peeled K12	\$	POA /KG
4,800 kgs	130mm dia	K1030 bright	\$	POA /KG
8 1/2 tonne	130mm dia	K1045AR black	\$	1.70 /KG
2,948 kgs^	130mm dia	S1214AR bright H11	\$	POA /KG
1 bar	130mm dia	P20 tool steel black, 250mm	\$	2.50 /KG
1 bar	130mm dia	PAX2 tool steel, 1.0met	\$	3.50 /KG
1 o/c	130mm dia	O1A tool steel, 1400mm	\$	3.50 /KG
1 bar	131mm dia	4140HT peeled, 930mm	\$	3.10 /KG
1,200 mm	132mm dia	H13 tool steel peeled	\$	6.00 /KG
513 mm	132mm dia	H13 tool steel peeled	\$	6.00 /KG
11 o/c	133mm dia	K1018, 100mm	\$	1.60 /KG
1 tonne	135mm dia	EN36A peeled	\$	4.90 /KG
5 tonne	135mm dia	4140AR black	\$	POA /KG
10 tonne	135mm dia	K1020 black	\$	POA /KG
18 tonne	135mm dia	K1045 black	\$	POA /KG
2,000 kgs	138mm dia	4140HT peeled	\$	POA /KG
7 tonne*	140mm dia	K1020 black	\$	POA /KG
120 tonne*	140mm dia	K1020 black downgrade, 6.0met	\$	1.60 /KG
1 1/2 bars	140mm dia	K1045 black, 6.0met	\$	1.90 /KG
1 bar	140mm dia	K1045 bright, 8.0met	\$	2.60 /KG
25 tonne*	140mm dia	K1045 black, 6.0met (surface rusty)	\$	1.70 /KG
2,070 kgs^	140mm dia	K1045AR bright H11	\$	POA /KG

1 bar	140mm dia	Grade 9417 black, 2000mm	\$	2.20 /KG
1 o/c	140mm dia	EN36A peeled, 310mm	\$	4.90 /KG
5,600 kgs	140mm dia	EN36A annealed & peeled	\$	POA /KG
1 bar	140mm dia	CS1030 black, 400mm	\$	1.70 /KG
1,300 kgs^	140mm dia	4140HT PLD, K12	\$	POA /KG
6 tonne	140mm dia	4140HT black	\$	POA /KG
9 1/2 tonne	140mm dia	4140AR black	\$	POA /KG
5,700 kgs	140mm dia	4340HT black	\$	POA /KG
5 tonne	140mm dia	4340AR black	\$	POA /KG
2,600 kgs	140mm dia	8620AR black	\$	POA /KG
1 bar	142mm dia	4140HT peeled, 1640mm	\$	3.10 /KG
1 o/c	142mm dia	P20 PLD, 1200mm (= 4140 plus sulphur)	\$	2.60 /KG
3.775 tonne^	143mm dia	F4140 (709) x 5.0met to 6.0met	\$	POA /KG
9 tonne^	145mm dia	K1020 black	\$	POA /KG
1 bar	145mm dia	K1040 black, 700mm	\$	1.70 /KG
21 tonne^	145mm dia	K1045 black	\$	POA /KG
20 tonne^	145mm dia	4140AR black	\$	POA /KG
7 tonne	145mm dia	4340AR black	\$	POA /KG
1 o/c	145mm dia	EN36A black, 250mm	\$	4.80 /KG
980 kgs	145mm dia	EN36A AR	\$	4.90 /KG
2,165 mm	145mm dia	H13 tool steel peeled	\$	6.00 /KG
1 o/c	146mm dia	S7 bright, 940mm	\$	3.00 /KG
1 o/c	147mm dia	8740 black, 645mm	\$	2.60 /KG
1 o/c	150mm dia	EN25HT peeled, 400mm	\$	4.90 /KG
1 o/c	150mm dia	EN39B alloy, 370mm	\$	5.40 /KG
2,500 kgs	150mm dia	EN39B alloy	\$	POA /KG
771 kgs^	150mm dia	S1214 bright H11	\$	POA /KG
1 o/c	150mm dia	4140HT peeled, 1300mm	\$	3.10 /KG
1 bar	150mm dia	4140HT peeled K12	\$	POA /KG
1 o/c	150mm dia	4140AR black, 2350mm	\$	2.40 /KG
13 tonne^	150mm dia	4140AR black	\$	POA /KG
2,500 kgs	150mm dia	4340AR black	\$	POA /KG
800 kgs	150mm dia	4340HT peeled K12	\$	POA /KG
1,700 kgs	150mm dia	4340HT black, 6.0met	\$	POA /KG
15 bars	150mm dia	K1020 black, 6.0met	\$	1.75 /KG
2 tonne	150mm dia	K1020 bright	\$	POA /KG
812 kgs	150mm dia	K1040 black	\$	POA /KG
1 1/2 bars	150mm dia	K1040 bright, 6.0met	\$	POA /KG
2 bars	150mm dia	K1045 black, 6.0met	\$	1.90 /KG
2 bars	150mm dia	8620AR black	\$	POA /KG
1 o/c	150mm dia	86B45 black alloy	\$	2.50 /KG
2 tonne	6" dia	C1018 bright	\$	POA /KG
1 bar	6" dia	K1030 bright	\$	POA /KG
2 tonne	6" dia	K1040 bright	\$	POA /KG
2 bars	6" dia	K1045 bright, 12ft	\$	POA /KG
1 bar	6" dia	4140HT precision ground H9	\$	POA /KG
1,840 kgs	6" dia	4150HT alloy peeled, 2 @ 5.0met & 500mm	\$	3.10 /KG
1 o/c	6" dia	S1214 bright, 2420mm	\$	2.45 /KG
2 tonne	6" dia	C1215 bright	\$	POA /KG
1 bar	6" dia	MA20, 2.09met	\$	3.50 /KG
1 bar	152mm dia	4140HT PZOA peeled, 2880mm	\$	3.00 /KG
800 kgs	154mm dia	EN36A annealed	\$	POA /KG
9,200 kgs	155mm dia	4140HT black	\$	POA /KG
5 tonne^	155mm dia	K1020 black	\$	POA /KG
11,835 kgs^	160mm dia	M1020AR black	\$	POA /KG
1,842 kgs^	160mm dia	M1020AR bright H12	\$	POA /KG
14.6 tonne	160mm dia	K1030 black	\$	POA /KG
3 bars	160mm dia	K1045 black	\$	1.90 /KG
26 tonne^	160mm dia	K1045 black	\$	POA /KG
1 o/c	160mm dia	EN25 alloy peeled, 2125mm	\$	4.90 /KG

1 o/c	160mm dia	EN25 black, 205mm	\$	4.60 /KG
5,300 kgs	160mm dia	EN36A AR	\$	POA /KG
15 tonne^	160mm dia	4140AR black	\$	POA /KG
5 tonne	160mm dia	4340HT black	\$	POA /KG
3 tonne	160mm dia	8620AR black	\$	POA /KG
5 tonne	162mm dia	17CR Ni Mo 6 (1 tonne minimum)	\$	3.25 /KG
1 o/c	165mm dia	KEA28 tool steel, 1285mm long	\$	3.50 /KG
5,200 kgs	165mm dia	4340HT peeled K12	\$	POA /KG
1 o/c	165mm dia	OIA tool steel, 400mm approx	\$	3.60 /KG
1,961 kgs^	165.1mm dia	M1020AR bright H12	\$	POA /KG
3 tonne	170mm dia	M1020AR black	\$	POA /KG
12 tonne^	170mm dia	K1045 black, 6.0met	\$	1.65 /KG
5 tonne^	170mm dia	4140AR black	\$	POA /KG
2 tonne^	170mm dia	4140HR HT	\$	POA /KG
13,438 kgs^	170mm dia	4140HT PLD	\$	POA /KG
1,290 mm	170mm dia	Grade 410 - 420 stainless	\$	4.75 /KG
3,300 kgs^	170mm dia	4340 as rolled black	\$	POA /KG
11 bars	172mm dia	K1045 black, 4960mm	\$	1.60 /KG
1 o/c	175mm dia	4140HT peeled, 3.0met	\$	POA /KG
1 o/c	175mm dia	8740 alloy black, 640mm	\$	2.40 /KG
4 feet	177mm dia	O100A tool steel, 500mm	\$	3.50 /KG
1 bar	7" dia	Nickle chrome moly, 600mm	\$	2.40 /KG
1 bar	7" dia	C1045 bright, 14ft	\$	2.60 /KG
6 bars	180mm dia	K1020 black	\$	1.70 /KG
5 bars	180mm dia	K1045 black, 6.0met	\$	1.90 /KG
1 bar	180mm dia	KE396 tool steel, 1900mm (oil hardening L6)	\$	3.50 /KG
500 kgs	180mm dia	4140HT peeled	\$	POA /KG
4 tonne	180mm dia	4140AR black	\$	POA /KG
2 met	180mm dia	4340HT black	\$	4.30 /KG
2,400 kgs	180mm dia	4340 as rolled black	\$	POA /KG
14 tonne	180mm dia	8620 black	\$	POA /KG
1 o/c	180mm dia	KE396, 1900mm	\$	3.50 /KG
1 o/c	180mm dia	EN25 black, 405mm	\$	4.90 /KG
1 o/c	7 1/4" dia	O100A tool steel, 4ft	\$	3.50 /KG
3,200 kgs	188mm dia	K1045 black	\$	1.80 /KG
1 o/c	188mm dia	K1045 black, 1.0met	\$	1.80 /KG
560 kgs	7 1/2" dia	O100A tool steel	\$	3.50 /KG
3 bars	190mm dia	K1020 black, 3.895 tonne	\$	POA /KG
18,240 kgs^	190mm dia	M1020AR black	\$	POA /KG
8 tonne^	190mm dia	K1045AR black	\$	POA /KG
5 met	190mm dia	K1045 black, 20ft	\$	1.75 /KG
1 o/c	190mm dia	O100A tool steel, 5ft	\$	3.50 /KG
8 tonne	190mm dia	4140 black as rolled	\$	POA /KG
9 tonne	190mm dia	8620AR black	\$	POA /KG
3,678 kgs^	190.5mm dia	M1020AR bright H12	\$	POA /KG
2 bars	192mm dia	D2 tool steel, 3995mm & 1040mm	\$	6.50 /KG
1 o/c	195mm dia	EN29B alloy, 965mm	\$	4.90 /KG
1 o/c	195mm dia	4120, 690mm	\$	2.50 /KG
1 bar	195mm dia	4140 black, 165mm	\$	2.10 /KG
1 bar	195mm dia	Chem comp; C.24%, Mn.72%, Si.46%, Cr 1.2%, Mo .50%, 1730mn	\$	2.20 /KG
1 o/c	195mm dia	Chem comp; C.43%, Cr 3.00%, Mo .50%, 964mm	\$	2.40 /KG

15 tonne	200mm dia	K1020 black, 6.0met	\$	POA /KG
1,060 kgs^	200mm dia	M1020AR bright H12	\$	POA /KG
1,200 kgs	200mm dia	EN36A annealed	\$	POA /KG
4 bars	200mm dia	K1045 black	\$	1.75 /KG
2 o/c	200mm dia	EN25 annealed peeled, 325mm & 450mm	\$	4.90 /KG
1 bar	200mm dia	4140HT peeled, 2200mm	\$	2.90 /KG
15 tonne	200mm dia	4140AR black	\$	POA /KG
12 tonne	200mm dia	4340HT black	\$	POA /KG
1 bar	200mm dia	4340HT peeled, 3200mm	\$	POA /KG
3 tonne	200mm dia	4340 as rolled	\$	POA /KG
1 o/c	200mm dia	4340 peeled, 410mm	\$	4.90 /KG
1 bar	8 1/4" dia	Grade 5120 alloy, 338mm	\$	2.50 /KG
1 o/c	210mm dia	EN25 peeled & annealed, 5ft	\$	4.90 /KG
12 tonne^	210mm dia	K1020 black	\$	POA /KG
10 tonne^	210mm dia	4140AR black	\$	POA /KG
15 tonne^	210mm dia	4340 as rolled black	\$	POA /KG
1 bar	210mm dia	CS1020 peeled	\$	2.20 /KG
3 o/c	210mm dia	XK1320 short offcuts	\$	1.50 /KG
2 bars	212mm dia	D2 tool steel peeled, 3230mm & 4.0met	\$	6.50 /KG
1 bar	215mm dia	4340 alloy, 180mm	\$	4.50 /KG
9 tonne^	220mm dia	K1020 black	\$	1.85 /KG
1 bar	220mm dia	K1022 bright peeled, 1770mm	\$	2.20 /KG
5 bars	220mm dia	K1045 black	\$	1.80 /KG
633 kgs	220mm dia	EN36A alloy peeled, 2090mm	\$	4.90 /KG
3,200 kgs	220mm dia	4140AR black	\$	POA /KG
1,700 kgs	220mm dia	4140HT black	\$	POA /KG
7,500 kgs	220mm dia	4340HT black	\$	POA /KG
1 o/c	220mm dia	4340 black, 340mm	\$	4.50 /KG
2 tonne	220mm dia	8620AR black	\$	POA /KG
3 o/c	222mm dia	D2 tool steel, 745mm, 515mm & 325mm	\$	6.50 /KG
3,350 kgs^	228.6mm dia	M1020AR bright H12	\$	POA /KG
2 tonne	230mm dia	K1020 black	\$	1.85 /KG
2 o/c	230mm dia	K1045 black, 300mm	\$	1.80 /KG
1 o/c	230mm dia	K1045 black, 950mm	\$	1.80 /KG
1 bar	230mm dia	K1045 black	\$	1.90 /KG
3 tonne	230mm dia	K1045 peeled black	\$	POA /KG
2 tonne	230mm dia	8620AR black	\$	POA /KG
15 tonne	230mm dia	4140AR black	\$	POA /KG
1 tonne	230mm dia	4140HT black	\$	POA /KG
10,300 kgs	230mm dia	4340 as rolled black	\$	POA /KG
11 tonne	240mm dia	K1020 black forged	\$	POA /KG
6 tonne	240mm dia	K1020AR black	\$	POA /KG
1 o/c	240mm dia	K1040 peeled, 230mm	\$	2.20 /KG
3 o/c	240mm dia	K1045 black, 1150mm, 740mm & 450mm	\$	1.90 /KG
7 o/c	240mm dia	K1045 black, 590, 2310, 1930, 1940, 1230, 1220 & 755mm	\$	1.90 /KG
3 o/c	240mm dia	K1045 black, 2345mm	\$	1.90 /KG
6 tonne	240mm dia	4140 H&T black	\$	POA /KG
7.7 tonne	240mm dia	4140AR black	\$	POA /KG
10,500 kgs	240mm dia	4340 as rolled black	\$	POA /KG
1 o/c	8 1/2" dia	EN33, 95mm	\$	2.50 /KG
2 o/c	250mm dia	K1020 bright, 170mm	\$	2.40 /KG

1 1/2 bars	250mm dia	K1045 black	\$	2.05 /KG
10 tonne*	250mm dia	4140AR black	\$	POA /KG
1 o/c	250mm dia	4340HT peeled, 435mm	\$	4.90 /KG
4 tonne	250mm dia	8620 black	\$	POA /KG
15 tonne	260mm dia	K1045 black	\$	1.95 /KG
5 tonne	260mm dia	4140AR black	\$	POA /KG
11,744 kgs^	260mm dia	4140HR HT	\$	POA /KG
1,800 kgs^	260mm dia	4340HR HT	\$	POA /KG
6,500 kgs	260mm dia	EN36A annealed & peeled	\$	POA /KG
2 o/c	260mm dia	Cast Iron low strength, 500mm & 340mm	\$	3.00 /KG
2 bars	268mm dia	4340HT peeled, 5500mm brinell hardness 300 & 270	\$	4.50 /KG
1 o/c	268mm dia	4340HT peeled, 30mm	\$	4.00 /KG
1 o/c	269mm dia	V155 peeled, 515mm	\$	4.30 /KG
15 tonne	270mm dia	K1020 black	\$	POA /KG
4 1/2 tonne	270mm dia	K1045 black	\$	POA /KG
1 bar**	270mm dia	K1045 black, 1500kgs	\$	POA /KG
10 tonne*	270mm dia	4140AR black	\$	POA /KG
3 o/c	270mm dia	4140HT peeled, 120mm, 130mm & 265mm	\$	POA /KG
2 tonne^	270mm dia	4340 as rolled black	\$	POA /KG
7,500 kgs	270mm dia	4340HT black	\$	POA /KG
2 o/c	275mm dia	K1040 black, 730mm & 775mm	\$	1.95 /KG
1 o/c	280mm dia	EN36A E200 alloy, 250mm	\$	4.50 /KG
406 kgs	280mm dia	EN36A peeled, 823mm	\$	4.90 /KG
2,400 mm	280mm dia	4140HT peeled alloy	\$	3.70 /KG
10 tonne*	280mm dia	4140AR black	\$	POA /KG
7,355 kgs^	280mm dia	4340HR HT	\$	POA /KG
8 tonne^	280mm dia	K1020 black, 6.0met	\$	POA /KG
9,680 kgs	280mm dia	K1045 black 2 @ 5500mm	\$	2.30 /KG
1 o/c	285mm dia	Grade 4130 peeled with spectro	\$	2.20 /KG
4,200 kgs	288mm dia	K1045 black	\$	2.30 /KG
2,500 kgs	290mm dia	K1045 black	\$	2.30 /KG
10 tonne^	290mm dia	4140AR black	\$	POA /KG
1.9 tonne*	290mm dia	4140 H&T PLD	\$	POA /KG
1 o/c	300mm dia	4140HT bright turned, 470mm	\$	2.80 /KG
9 tonne*	300mm dia	4140AR black	\$	POA /KG
1 o/c	300mm dia	4140 PLD, 930mm	\$	2.80 /KG
10 tonne^	300mm dia	4340HT black	\$	POA /KG
5 tonne	300mm dia	4340 as rolled black	\$	POA /KG
10 tonne^	300mm dia	K1045AF black	\$	POA /KG
5,800 kgs*	310mm dia	4340HT black	\$	POA /KG
1 o/c	310mm dia	4140HT peeled, 2.0met	\$	POA /KG
2,360 kgs*	310mm dia	4140HT peeled	\$	POA /KG
5,900 kgs*	310mm dia	4140HT black	\$	POA /KG
13,470 kgs*	310mm dia	K1045AF black	\$	POA /KG
9 tonne	320mm dia	K1045 black	\$	POA /KG
6,900 kgs*	320mm dia	K1045 peeled	\$	2.30 /KG
1 o/c	325mm dia	EN39B alloy, 265mm	\$	4.90 /KG
13 tonne*	330mm dia	K1045 peeled	\$	2.30 /KG
10.0 tonne*	330mm dia	4340 as rolled black	\$	POA /KG
2 o/c	340mm dia	K1045 peeled, 125mm & 245mm	\$	2.30 /KG
15 tonne^	340mm dia	K1045 black	\$	POA /KG
7,400 kgs	350mm dia	4340HT black	\$	POA /KG
7,600 kgs	350mm dia	4340 as rolled black	\$	POA /KG
1 o/c	350mm dia	K1045 peeled, 4200mm	\$	2.30 /KG
3 bars	360mm dia	K1045 black, 5.0met	\$	2.30 /KG
2 o/c	360mm dia	K1045 black, 800mm & 390mm	\$	2.30 /KG
11,260 kgs*	360mm dia	K1045 black	\$	POA /KG

1 o/c	360mm dia	4140, 520mm	\$	POA /KG
10 tonne	360mm dia	4140AR black	\$	POA /KG
14,500 kgs	360mm dia	4340 as rolled black	\$	POA /KG
1 o/c	370mm dia	K1045 black, 96mm	\$	2.30 /KG
14,432 kgs*	370mm dia	K1045 black	\$	POA /KG
2 bars	380mm dia	K1045 black, 12ft & 7ft	\$	2.30 /KG
11 tonne*	380mm dia	K1045 as forged black	\$	POA /KG
5 tonne*	380mm dia	4140AR black	\$	POA /KG
1 o/c	380mm dia	Carbon steel black - Cheap, 1485mm downgrade (Donger)	\$	1.35 /KG
4,300 kgs	385mm dia	4340 as rolled black	\$	POA /KG
5 bars	390mm dia	K1045 black	\$	2.30 /KG
1 o/c	390mm dia	K1045 black, 555mm	\$	2.30 /KG
10 tonne^	390mm dia	4140AR black & peeled	\$	POA /KG
9,700 kgs	390mm dia	4340 as rolled black	\$	POA /KG
2 tonne	400mm dia	K1045 black	\$	2.30 /KG
1 bar**	400mm dia	K1045 black, 7.026 tonne	\$	POA /KG
21,390 kgs*	400mm dia	K1045 black	\$	POA /KG
2 o/c	400mm dia	K1045 black, 70mm & 80mm	\$	2.00 /KG
10 tonne^	400mm dia	4140AR black & turned	\$	POA /KG
6 tonne^	400mm dia	4340 as rolled black (1 tonne minimum)	\$	4.20 /KG
6,600 kgs	400mm dia	4340HT black	\$	POA /KG
1 o/c	410mm dia	K1045 black, 70mm	\$	2.30 /KG
9 tonne	410mm dia	4140AS forged	\$	POA /KG
5 1/2 tonne	420mm dia	K1045 black	\$	2.30 /KG
7,560 kgs^	420mm dia	K1045 black Rough Machined	\$	POA /KG
10 tonne^	420mm dia	4140 as rolled black	\$	POA /KG
11 tonne^	420mm dia	4340 as rolled black	\$	POA /KG
8 tonne^	430mm dia	K1045 black (1 tonne minimum)	\$	2.00 /KG
6 tonne	440mm dia	K1045 black Rough Machined	\$	POA /KG
11 tonne^	445mm dia	4140HT black	\$	POA /KG
1 o/c	447mm dia	K1045, 290mm	\$	2.30 /KG
14 tonne^	450mm dia	K1045 black Rough Machined	\$	POA /KG
10 tonne	460mm dia	4140AR black	\$	POA /KG
1 o/c	460mm dia	4140HT, 1800mm	\$	2.30 /KG
3 tonne*	460mm dia	4340AR black	\$	POA /KG
7 tonne^	480mm dia	K1045 black	\$	POA /KG
4,150 kgs^	500mm dia	K1045 black Rough Machined	\$	POA /KG
9 tonne*	520mm dia	4140AR black	\$	POA /KG
8 tonne*	530mm dia	4140AR black	\$	POA /KG
8,700 kgs	530mm dia	4140 as rolled black	\$	POA /KG
10 tonne*	540mm dia	4140AR black	\$	POA /KG
10 tonne*	550mm dia	4140AR black	\$	POA /KG
9 tonne*	570mm dia	4140AR black	\$	POA /KG